

## Supporting Online Material for

### Epidemic Dynamics at the Human-Animal Interface

James O. Lloyd-Smith,\* Dylan George, Kim M. Pepin, Virginia E. Pitzer, Juliet R. C. Pulliam, Andrew P. Dobson, Peter J. Hudson, Bryan T. Grenfell

\*To whom correspondence should be addressed. E-mail: jlloydsmith@ucla.edu

Published 4 December 2009, *Science* **326**, 1362 (2009)  
DOI: 10.1126/science.1177345

#### This PDF file includes

Materials and Methods

SOM Text

Figs. S1 to S4

Tables S1 to S3

References

## CONTENTS

Methods.....	1
Pathogens to be reviewed .....	1
Literature survey .....	3
Overall scientific effort.....	3
Modeling effort .....	3
Standardized search terms.....	4
Refining the search results .....	5
Review of dynamical models.....	6
Results.....	7
Zoonotic dynamics—the broad overview .....	7
Patterns by pathogen .....	9
Dynamics of modeling response.....	10
References.....	11
Figure captions.....	12
Figure S1. Summary of literature on zoonotic modeling.....	14
Figure S2. Scope of models for zoonotic dynamics .....	15
Figure S3. In-depth analysis by pathogen genus .....	16
Figure S4. Temporal profiles of research effort.....	18
Table captions .....	19
Table S1. Distribution of pathogen species by transmission mode and taxonomy .....	20
Table S2. Pathogen species included in review .....	21
Table S3. Dynamic modeling studies included in review.....	24
References for Table S3.....	35

## METHODS

### Pathogens to be reviewed

We aimed to survey dynamical studies of all significant zoonotic microparasites. To establish a master list of pathogens in our review, we began by merging three comprehensive lists from academic and governmental sources:

- All pathogens designated as zoonotic in the pathogen list from Jones et al. (S1), “Global trends in emerging infectious diseases”.
- All pathogens from Wolfe et al. (S2), “Origins of major human infectious diseases”
- All pathogens from the US NIAID Category A,B,C Priority Pathogens (S3).

This set of 193 pathogens was then restricted to include only zoonoses that satisfy the following criteria:

1. Pathogen is transmitted from vertebrate animals to humans (as opposed to pathogens shared by animals and humans because of common exposure to an environmental source).
2. Pathogen is a microparasite, i.e. a virus, bacterium, protozoan, or prion.
3. Pathogen is an obligate parasite (i.e. no environmental bacteria and fungi that also happen to cause infections).
4. Transmission from animal reservoirs to humans is thought to play an important epidemiological role for the pathogen. This includes pathogens that cannot be maintained in human populations, and those for which zoonotic transmission adds significantly to human transmission in some settings (e.g. yellow fever virus or dengue virus serotype 2, for which sylvatic transmission initiates epidemics in some regions). Pathogens for which humans are a definitive host, with animals as spillover hosts, are excluded.
5. Pathogen strains that are distinct from others in the database only in their drug-resistance profile are excluded.

The Pan American Health Organization volumes on “Zoonoses and Communicable Diseases Common to Man and Animals” (S4) were used as the primary reference to judge these criteria, with additional information derived from pathogen-specific review articles.

Pathogens were grouped at the species level, except where there were compelling reasons to use finer systematic resolution:

- We distinguished *Trypanosoma brucei rhodesiense* from *T. brucei gambiense* (the agents of East African and West African sleeping sickness, respectively). These pathogens exhibit markedly different epidemiology, and appear separately in the list of Wolfe et al. (S2). Humans are considered the definitive host for *T. b. gambiense*, and on this basis, papers focusing specifically on this subspecies were excluded.
- We divided *E. coli* into two groups, O157:H7 and all other strains. This division reflects the intensive research effort devoted to O157:H7.

In the course of the survey, the pathogen list was revised slightly for the following reasons:

- Addition of important zoonoses that were not found on other lists (e.g. HIV-2 (origins only), St. Louis encephalitis virus, Louping ill virus).
- Addition of other species from genera that were included in the review (e.g. *Leishmania braziliensis*, *L. mexicana*).
- Changes to taxonomic organization, reflecting recent systematic revisions, or sometimes to add a ‘generic’ category for modeling studies that named particular diseases without specifying the exact species they were addressing (e.g. models of “leishmaniasis”).

This process yielded a master list of 85 zoonotic pathogens (Table S2). Each pathogen was classified according to the following categories:

- Pathogen class: virus, bacteria, protozoa, or prion.
- Zoonotic stage: II, III or IV. Pathogens that can cause human-to-human transmission only under extraordinary circumstances (e.g. organ transplants or blood transfusions) were classified as stage II. To classify a pathogen as stage III, we required evidence of transmission chains with more than one generation of transmission. Note: HIV-1 and HIV-2 were classified as stage V, but only studies addressing their zoonotic origins were eligible for our review.
- Dominant transmission mode: direct contact, vector-borne (via mosquitoes, flies, ticks, fleas, or bugs), or food-borne.

The breakdown of included pathogen species across these categories is shown in Table S1.

## **Literature survey**

### ***Overall scientific effort***

As a simple measure of perceived importance and background knowledge for each zoonotic pathogen, we counted the total number of scientific publications in the ISI Web of Science (<http://apps.isiknowledge.com>) that name the pathogen in their title. To ensure that we found publications describing the public health and sociological aspects of the pathogen as well as the biomedical aspects, we searched using all known scientific and common names for both the agent and the diseases or syndromes it causes in humans or animals. We used the Pan American Health Organization volumes (*S4*), Google searches, and Wikipedia to detect those pathogens whose names or classifications may have changed over time; if these changes were confirmed by the primary scientific literature then all variants were included in the same search. These searches were conducted at the species level, and contributions from species that have been modeled were added together to get the genus-level values used in Figure S1C.

### ***Modeling effort***

We aimed to find all published articles that included population dynamical models of the 85 zoonotic pathogens on our master list. To achieve this goal, we conducted two rounds of searches on Web of Science using standardized search terms. We augmented these results by tracing citations in modeling studies that were found via our standardized searches, and by expert knowledge (among the authors, colleagues at their institutions, and audience members at workshop presentations of the preliminary results) of studies that had been excluded. We further augmented the results by searching the online archives of *PLoS ONE* for all pathogen name variants; we did this because *PLoS ONE* is not indexed in Web of Science, but our citation-tracing and expert knowledge led us to realize that a significant number of zoonotic dynamics studies had been published there.

These searches were conducted in September 2008, and studies published since that time were not included in our review.

### ***Standardized search terms***

Round 1: Searches were conducted using Web of Science, using all available years (1900-2008) and all databases. As above, we included all scientific and common names for both the pathogen and the diseases or syndromes it causes. Note that for non-vectored pathogens, we required that the pathogen be named in the article title to consider it to be a paper focusing on a given pathogen. For vectored pathogens, we also considered articles that name the vector (to the genus level) in the title and name the pathogen in the abstract. To select dynamical models from the broader literature on each pathogen, we extended the search terms to include a set of model-related terms and a set of terms related to epidemiological dynamics.

This search strategy was refined via successive iterations using different search terms on a representative sub-set of pathogens for which the authors had some familiarity with the literature. The final set of terms was optimized with greatest emphasis on complete coverage of modeling studies, and secondary emphasis on reducing ‘false-positive’ search results. The standardized search terms were as follows:

For non-vectored pathogens:

TI=(<all variants of pathogen name>) AND TS=(model\* OR dynamic\* OR simulat\*) AND TS = (mathematic\* OR stochastic\* OR determinis\* OR compartmental OR transmission OR reproducti\* OR R0 OR reservoir OR estimat\* OR sensitivit\* OR epidemi\* OR endemi\* OR epizooti\* OR enzooti\* OR spillover OR cross-species OR zoono\* OR sylva\*)

For vectored pathogens:

TI=(<all variants of pathogen name> OR <all variants of vector name>) AND TS=(<all variants of pathogen name>) AND TS=(model\* OR dynamic\* OR simulat\*) AND TS = (mathematic\* OR stochastic\* OR determinis\* OR compartmental OR transmission OR reproducti\* OR R0 OR reservoir OR estimat\* OR sensitivit\* OR epidemi\* OR endemi\* OR epizooti\* OR enzooti\* OR spillover OR cross-species OR zoono\* OR sylva\*)

Examples of name variants:

e.g. SARS: TI=(SARS\* OR "severe acute respiratory syndrome")

Lyme: TI=(Lyme OR Lyme's OR Borrelia OR Ixodes OR Amblyomma OR Dermacentor OR "deer tick\*" OR "Lone star tick\*" OR "black-legged tick\*")  
AND TS = (Lyme OR Lyme's OR Borrelia)

Marburg hemorrhagic fever: TI=(Marburg hemor\* OR Marburg virus OR marburgvirus  
OR green monkey disease)

Round 2: Because older entries in Web of Science often do not have abstracts, we employed a less stringent second round of searches to find older papers. In particular, we searched with the following search string for dates up to 1995:

TI=<all variants of pathogen name> ) AND TI=(model\* OR dynamic\* OR simulat\* OR transmission)

### ***Refining the search results***

These searches returned huge numbers of publication records. By reviewing their titles, abstracts, and full text when necessary, these results were refined to our final list of 445 studies of the population dynamics of zoonotic infections. Studies matching the following descriptions were **included** in our review:

- Population dynamical models of zoonotic infections, i.e. those which represent the population(s) using state variables related to disease status (S,I,R, etc), and track temporal changes or calculate epidemiological parameters.
- Models that were chiefly statistical in intent, but were founded on mechanistic principles incorporating transmission. If the derivation of the statistical model included the notion of an infectious individual and a susceptible individual and transmission of infection between them, then the study was included (Se.g. 5).
- Review articles were included only if they presented new models satisfying the above descriptions (in which case only the new material was included in our review).
- Models of zoonoses that are capable of endemic human circulation were included only if they focused on zoonotic aspects of the dynamics. For influenza A, we focused only on the dynamics within animal populations (e.g. avian and swine) and outbreaks initiated by animal-to-human transmission (i.e. pandemics); for yellow fever and dengue-2 we

focused only on outbreaks initiated by sylvatic transmission; for HIV-1 and HIV-2, we restricted our search to models of the zoonotic origins of the pathogen.

Studies matching the following descriptions were **excluded** from our review:

- Statistical models that were not founded on mechanistic principles, e.g. regression, clustering analysis, ARIMA models, etc.
- Statistical models that estimated epidemiological quantities but did not include transmission, e.g. estimators for case mortality or incubation period.

### **Review of dynamical models**

Our literature search returned 445 modeling studies of zoonotic pathogens (Table S3). All of these papers were retrieved and read by at least one member of our team. Each paper was classified according to a range of criteria describing:

- Pathogen species modeled and associated characteristics (Table S2).
- Zoonotic phases included in model.
- Level of detail in depiction of spillover (see caption to Figure S2).
- Use of data to estimate individual-level parameters or to fit model output to population-level outcomes. Note that ‘parameterization’ was scored positive if the paper borrowed data-derived parameters from an earlier study, or even if certain rate parameters were assigned values based on cited sources (e.g. ‘the incubation period for SARS is 3-5 days [reference]’). Similarly, ‘model-fitting’ entailed everything from complex time-series methods to comparing model trajectories to a few point estimates of prevalence. Positive scores for data usage thus encompass a broad range of sophistication and completeness in data use; negative scores indicate no use of data whatsoever at the individual or population scale.
- Topics addressed by modeling analyses. For each of eight broad topics (see Figure S3), studies were scored positive if they presented modeling results that addressed these topics directly; studies that only mentioned the topics in discussion were scored negative

## RESULTS

A partial summary of our literature review is given in the main text. For clarity, we expand upon those remarks here, and show the full results and raw data.

### Zoonotic dynamics—the broad overview

The study of zoonotic dynamics has escalated rapidly over the last decade, with increasing emphasis on viral pathogens (Fig. S1A). Breaking down the results by pathogen genus, however, shows that effort has been heavily skewed toward a few agents, notably influenza A, SARS-Coronavirus, and rabies virus (genus: *Lyssavirus*) (Fig. S1B). Furthermore, vector-borne and food-borne zoonoses have been neglected relative to those transmitted directly, and protozoan pathogens are under-represented compared to viruses (Fig. S1B). Considering particular pathogen species (Table 1 in main text), we see that many zoonotic diseases of great public health concern have been minimally modeled (e.g. leptospirosis (*Leptospira* spp.), Japanese encephalitis, monkeypox, and yellow fever) or not modeled at all (e.g. tularemia (*Francisella tularensis*), epidemic typhus (*Rickettsia prowazekii*), and sylvatic dengue). Indeed, 40 of the 85 species of zoonosis in our database had never been modeled (25/44 for viruses, 12/28 for bacteria, 3/12 for protozoa, 0/1 for prions).

To derive an objective assessment of the distribution of modeling effort, it is necessary to control for differences in perceived importance of pathogens. Thus, we examined the ratio of the total number of scientific publications to the number of modeling studies (Fig. S1C). Pathogen genera that are clearly under-served relative to their knowledge base include arenaviruses; the bacteria *Bacillus*, *Leptospira*, *Campylobacter*, *Brucella*, and *Salmonella*; and the protozoans *Toxoplasma*, *Trypanosoma*, and *Leishmania*. At the other extreme, with relatively intense modeling activity, are recently-emerged pathogens such as SARS-CoV, transmissible spongiform encephalitis (TSE), and hantaviruses. Rabies and bovine tuberculosis (*Mycobacterium bovis*) also stand out as widely modeled, perhaps due to their status as modeling case studies with great applied importance in some regions. It is noteworthy that the huge modeling literature on pandemic influenza is not disproportionate to the broader research focus on this pathogen.

We next sought to characterize *how* zoonotic pathogens have been modeled, with particular reference to their multi-host ecology. Models of directly-transmitted zoonoses have focused almost universally on a single phase of the zoonotic process (Fig. S2A). For stage II and III zoonoses this focus has predominantly been on dynamics in the reservoir, while for stage IV the focus has almost entirely been on human outbreaks (Fig. S2B). We identified a glaring deficit in modeling of the spillover process: only 6% (17/282) of models of directly-transmitted zoonoses had any representation of cross-species transmission. Because of the central importance of this process to zoonotic dynamics, we probed further by distinguishing different degrees of mechanism incorporated in the models (Fig. S2C). Only 6 of 17 models treated the spillover process explicitly, which we defined as modeling infection in the reservoir and human populations with a transmission term connecting them. The remainder included only an implicit representation of spillover, by including primary infections in humans but not considering their animal source. Thus a mere 2% (6/282) of dynamical studies of directly-transmitted zoonoses actually incorporated a mechanistic model of spillover transmission, while the vast majority dealt with one host species at a time.

For vector- and food-borne zoonoses, modeling studies were less numerous but also less skewed in their focus. Models of vector-borne zoonoses were more likely to integrate several zoonotic phases (Fig. S2A). Roughly 34% (30/88) of these models addressed spillover transmission, of which a clear majority represented spillover explicitly (Fig. S2B,C). Strikingly few studies addressed the dynamics of human outbreaks for vector-borne zoonoses—a particularly surprising finding given that the majority (9/15) of the stage IV pathogens in our database are vector-borne. Models of food-borne zoonoses showed similar patterns to vector-borne disease models overall, with more studies integrating several phases and almost 40% (27/72) of models incorporating spillover transmission (Fig. S2A,B). The representation of spillover was more mechanistic, with roughly one third of spillover models addressing pathogen dynamics in carcasses during food processing and the resulting risk to humans (a pathway we termed food-borne spillover) and another third explicitly representing reservoir and human populations (Fig. S2C).

For all three transmission modes, we identified a further gap in modeling the dynamics of inefficient stuttering chains of transmission—even among stage III pathogens for which this

process is most relevant (Fig. S2B). Stuttering transmission was modeled in just 3.6% (16/442) of all studies in our data base, and just 8% (10/125) of models of stage III zoonoses. In contrast to spillover dynamics, stuttering chains have received greater attention for directly-transmitted zoonoses.

### **Patterns by pathogen**

The aggregate view is informative, but masks important differences among pathogens that can be unduly influential when modeling effort is extremely skewed towards a small number of pathogen species. To gain insight into the idiosyncrasies of research into particular pathogens, we undertook detailed case studies of the six most-modeled genera of zoonoses (Fig. S3). We characterized the dynamical scope of the studies, the use of data to estimate parameter values and fit model output, and the broad topics and goals addressed by each study.

Consistent with trends in the aggregate data, the most frequently modeled pathogens show a near-absolute focus on a single zoonotic phase (Fig. S3A); examples include SARS, rabies, and *Mycobacterium bovis*. Models of influenza have encompassed more phases (owing to active concern about circulation in poultry flocks as well as potential pandemic strains) but most studies (94%) have focused on a single phase of transmission. Work on bovine spongiform encephalopathy (BSE) has been notably diverse in focus, encompassing both reservoir dynamics and intensive efforts to understand spillover and possible secondary transmission in the wake of that pathogen's discovery. Studies of flaviviruses, despite including models of seven different species, are still dominated by work on reservoir dynamics, with a proportion also treating spillover. Consideration of the less widely modeled zoonoses reinforces the pattern identified for flaviviruses and BSE: models of vector-borne and food-borne zoonoses are generally more diverse in scope and more likely to encompass spillover transmission. The dominant pattern overall, though, is that dynamical studies of most pathogens have tended to be relatively restricted in scope. Expanding on this work to develop more integrative models is an essential priority for advancing our ability to understand and control zoonoses.

Patterns in data use (Fig. S3B) and scientific questions addressed by studies of zoonotic dynamics (Fig. S3C) are described fully in the main text.

### Dynamics of response by the modeling community

For six zoonotic pathogens that either were discovered or made significant range shifts in recent decades, we constructed temporal profiles of the scientific literature to characterize the dynamics of the modeling community's response (Fig. S4). As noted in the main text, the response for SARS was almost immediate, with numerous modeling studies published within a few months of discovering the pathogen (S6-S9). A more complex story emerges for influenza, for which research has been maintained at a high level throughout the past century, with a small fraction of studies focusing on 'pandemic' or avian influenza. Research activity on pandemic and avian influenza rose following the emergence of the H5N1 subtype in Hong Kong in 1997, and increased dramatically following its re-emergence in 2003. Modeling effort on pandemic influenza followed suit with a few years' delay, rapidly becoming the largest literature for any zoonotic pathogen (Fig. S1B). We note with interest the first stirrings of a modeling epidemic focusing on the current H1N1 influenza threat (S10, S11); based on considerations outlined in the main text we predict a swift and robust surge in modeling activity.

Dynamical studies of avian influenza have arisen much more slowly than those of pandemic influenza, perhaps because of the complex and previously under-studied ecology of the virus in wild and domestic bird populations (S12). Other complex or under-studied pathogens have shown similar lags, including *Borrelia burgdorferi* with its multi-host sylvatic cycle and BSE with its status as a newly-discovered prion infection. Chikungunya virus echoes the pattern shown for West Nile virus in the main text, where scientific interest is relatively low while the infection is circulating only in endemic, developing world settings, then picks up dramatically when the pathogen invades the US or Europe. In both instances, modeling activity rises within a few years of the broader increase in research.

## REFERENCES

- S1. K. E. Jones *et al.*, *Nature* **451**, 990 (2008).
- S2. N. D. Wolfe, C. P. Dunavan, J. Diamond, *Nature* **447**, 279 (2007).
- S3. National Institute of Allergy and Infectious Diseases.  
<http://www3.niaid.nih.gov/topics/BiodefenseRelated/Biodefense/research/CatA.htm>  
(Accessed Nov. 22, 2009).
- S4. Pan American Health Organization, *Zoonoses and communicable diseases common to man and animals*. (Pan American Health Organization, Washington DC, ed. Third, 2003).
- S5. J. Wallinga, P. Teunis, *Am. J. Epidemiol.* **160**, 509 (2004).
- S6. S. Riley *et al.*, *Science* **300**, 1961 (2003).
- S7. M. Lipsitch *et al.*, *Science* **300**, 1966 (2003).
- S8. J. O. Lloyd-Smith, A. P. Galvani, W. M. Getz, *Proc. R. Soc. Lond. B* **270**, 1979 (2003).
- S9. G. Chowell, P. W. Fenimore, M. A. Castillo-Garsow, C. Castillo-Chavez, *J. Theor. Biol.* **224**, 1 (2003).
- S10. Y. Yang *et al.*, *Science* **326**, 729 (2009).
- S11. C. Fraser *et al.*, *Science* **324**, 1557 (2009).
- S12. R. J. Webby, R. G. Webster, J. A. Richt, in *Wildlife and Emerging Zoonotic Diseases: The Biology, Circumstances and Consequences of Cross-Species Transmission*. (2007), vol. 315, pp. 67-83.

## FIGURE CAPTIONS

**Figure S1.** Summary of literature on zoonotic modeling. (A) Increasing trend in published studies of zoonotic dynamics over time, with colors indicating the class of pathogen. (B) Number of modeling studies found for each genus, taxonomic group, or transmission mode, using the same color scheme. Symbols indicate the dominant mode of transmission for the genus: direct contact (handshake), vector-borne (insect), or food-borne (meats). Numbers ( $X/Y$ ) indicate the number of pathogen species in each category, where  $X$  is the number for which we found population dynamic models, and  $Y$  the total number of species in our list of significant zoonoses. (C) The ratio of the total scientific literature to the modeling literature for each category. The total publications were tabulated by pathogen species, and only species that have been modeled were included in the genus totals used here. See Supplementary Information for details on methods.



**Figure S2.** Scope of models for zoonotic infections, organized by dominant mode of transmission. (A) Number of zoonotic phases (reservoir dynamics, spillover, stuttering chains, or outbreaks in human population) included in models. (B) Zoonotic phases included in models for pathogens in stage II, III or IV. Note that not all phases are biologically relevant for all pathogens (e.g. stage II pathogens do not exhibit outbreak dynamics), but in some cases these were included in models due to speculative or incorrect assumptions and have been tabulated accordingly. (C) Approach to modeling spillover transmission: explicit spillover is a model incorporating both reservoir and human populations with transmission between them; implicit spillover is a model where primary (zoonotic) cases appear in humans but there is no mechanism depicted; food-borne spillover is a model that considers the pathogen abundance during food processing and the resulting risk to humans. Note that entries in pie-charts are mutually exclusive, but those in the bar-plots are not (i.e. a model including reservoir dynamics and spillover transmission is counted in both bars).

**Figure S3.** Analysis of the six most-modeled genera of zoonoses (with corresponding pathogen species shown in parentheses; note that 5 of 6 genera are represented by only one species) and all other modeled pathogens by mode of transmission. (A) Distribution of zoonotic phases


incorporated in models of each pathogen genus (R = reservoir dynamics, Sp = spillover transmission, St = stuttering transmission among humans, O = outbreaks among humans). (B) Use of data in zoonotic models. Parameterization refers to the estimation of individual-level parameters such as infectious period or case mortality; model-fitting refers to fitting model output to population-level data on incidence, prevalence or similar measures. (C) Topics addressed by analyses of zoonotic dynamics. Again, entries in pie-charts are mutually exclusive, but those in the bar-plots are not.

**Figure S4.** Temporal profiles of total research effort and modeling effort for recently-emerged zoonoses. Figure panels have different y-axis scaling, but in each instance the scaling for number of modeling studies (right axis) is 10-fold smaller than that for the total number of research papers (left axis). Traces for influenza show several subsets of research and modeling effort, indicated by different colors. Most profiles are truncated in 2007 to avoid a partial-year effect, but Chikungunya virus was extended to 2008 so that recent modeling effort (in response to the virus's recent expansion) would be visible. Note that the panels for SARS, BSE and West Nile virus appear in Figure 3 of the main text, but are repeated here for ease of comparison.

# FIG S1




# FIG S2



# FIG S3

## A. Scope



## Coronavirus (SARS-CoV)

Scope distribution: O (dark blue) is the largest segment (~85%), followed by R (dark brown) (~10%) and P (grey) (~5%).

## Lyssavirus (rabies)

Scope distribution: R (dark brown) is the largest segment (~85%), followed by O (dark blue) (~10%) and P (grey) (~5%).

## Mycobacterium (bovine TB)

Scope distribution: R (dark brown) is the largest segment (~85%), followed by O (dark blue) (~10%) and P (grey) (~5%).


## TSE (BSE/vCJD)

Scope distribution: R (dark brown) is the largest segment (~75%), followed by Sp (red) (~10%) and P (grey) (~5%).

## Flavivirus (7 species)


Scope distribution: R (dark brown) is the largest segment (~75%), followed by R+Sp (dark red) (~10%) and P (grey) (~5%).

## B. Use of data




## C. Topics addressed

- Study control measures
- Parameter estimation
- Explain patterns in data
- Prediction of future trends
- Within-host dynamics
- Pathogen evolution
- Economic aspects
- Pathogen interactions




# FIG S3 (cont.)


## A. Scope




### Directly-transmitted (other)







### Vector-borne (other)



### Food-borne (other)





## B. Use of data



## C. Topics addressed

- Study control measures
- Parameter estimation
- Explain patterns in data
- Prediction of future trends
- Within-host dynamics
- Pathogen evolution
- Economic aspects
- Pathogen interactions



**FIG S4**

## TABLE CAPTIONS

**Table S1.** Distribution of pathogen species included in review, by pathogen stage, transmission mode and taxonomy. Note that two species included in the review are not included in these totals (HIV-1 and HIV-2, which are stage V pathogens but only their zoonotic origins were included in our review).

**Table S2.** List of pathogen species included in review.

**Table S3.** List of dynamic modeling studies included in review.

**Table S1. Distribution of pathogen species included in review.**

Pathogen stage	Number of pathogen species			Number of pathogen species			
	Direct transmission	Vector-borne transmission	Food-borne transmission	Viruses	Bacteria	Protozoa	Prions
<b>II</b> (spillover only)	22	28	6	25	23	8	0
<b>III</b> (spillover + stuttering chains)	6	4	4	7	4	2	1
<b>IV</b> (spillover + possible outbreaks)	4	9	0	10	1	2	0

**Table S2. Pathogen species included in review**

Pathogen genus	Pathogen species	Pathogen class (1=virus, 2=bacteria, 3=protozoan, 4=prion)	Pathogen stage (2=spillover, 3=stuttering chains, 4=outbreaks)	Transmission mode (0=direct contact, 1=vector-borne, 2=food-borne)
<i>Alphavirus</i>	<i>Barmah forest virus</i>	1	4	1
<i>Alphavirus</i>	<i>Chikungunya</i>	1	4	1
<i>Alphavirus</i>	<i>Eastern equine encephalitis virus</i>	1	2	1
<i>Alphavirus</i>	<i>Mayaro virus</i>	1	4	1
<i>Alphavirus</i>	<i>Ross River virus</i>	1	4	1
<i>Alphavirus</i>	<i>Venezuelan Equine Encephalitis virus</i>	1	2	1
<i>Alphavirus</i>	<i>Western equine encephalitis virus</i>	1	2	1
<i>Anaplasma</i>	<i>Anaplasma phagocytophilum</i>	2	2	1
<i>Arenavirus</i>	<i>Guanarito</i>	1	2	0
<i>Arenavirus</i>	<i>Junin virus</i>	1	2	0
<i>Arenavirus</i>	<i>Lassa virus</i>	1	3	0
<i>Arenavirus</i>	<i>Lymphocytic choriomeningitis virus</i>	1	2	0
<i>Arenavirus</i>	<i>Machupo virus</i>	1	3	0
<i>Arenavirus</i>	<i>Sabia virus</i>	1	2	0
<i>Babesia</i>	<i>Babesia microti</i>	3	2	1
<i>Bacillus</i>	<i>Bacillus anthracis</i>	2	2	0
<i>Bartonella</i>	<i>Bartonella henselae</i>	2	2	1
<i>Borrelia</i>	<i>Borrelia burgdorferi</i>	2	2	1
<i>Brucella</i>	<i>Brucella abortus</i>	2	2	0
<i>Brucella</i>	<i>Brucella melitensis</i>	2	2	0
<i>Brucella</i>	<i>Brucella suis</i>	2	2	0
<i>Campylobacter</i>	<i>Campylobacter fetus</i>	2	2	2
<i>Campylobacter</i>	<i>Campylobacter jejuni</i>	2	2	2
<i>Chlamydophila</i>	<i>Chlamydophila psittaci</i>	2	2	0
<i>Coronavirus</i>	<i>SARS</i>	1	4	0
<i>Coxiella</i>	<i>Coxiella burnetii</i>	3	2	0
<i>Ebolaviruses</i>	<i>Ebola virus</i>	1	4	0
<i>Ehrlichia</i>	<i>Ehrlichia canis</i>	2	2	1
<i>Ehrlichia</i>	<i>Ehrlichia chaffeensis</i>	2	2	1
<i>Ehrlichia</i>	<i>Ehrlichia ewingii</i>	2	2	1
<i>Escherichia</i>	<i>E. coli (non O157:H7)</i>	2	3	2
<i>Escherichia</i>	<i>E. coli (O157:H7)</i>	2	3	2

Pathogen genus	Pathogen species	Pathogen class (1=virus, 2=bacteria, 3=protozoan, 4=prion)	Pathogen stage (2=spillover, 3=stuttering chains, 4=outbreaks)	Transmission mode (0=direct contact, 1=vector-borne, 2=food-borne)
<i>Flavivirus</i>	<i>Japanese encephalitis virus</i>	1	2	1
<i>Flavivirus</i>	<i>Kyasanur forest disease virus</i>	1	2	1
<i>Flavivirus</i>	<i>Louping ill virus</i>	1	2	1
<i>Flavivirus</i>	<i>Murray Valley encephalitis virus</i>	1	2	1
<i>Flavivirus</i>	<i>Omsk virus</i>	1	2	1
<i>Flavivirus</i>	<i>St. Louis encephalitis virus</i>	1	2	1
<i>Flavivirus</i>	<i>Sylvatic dengue virus</i>	1	4	1
<i>Flavivirus</i>	<i>Tick Borne Encephalitis virus</i>	1	2	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	1	2	1
<i>Flavivirus</i>	<i>Yellow fever virus</i>	1	4	1
<i>Flavivirus</i>	<i>Zika virus</i>	1	3	1
<i>Francisella</i>	<i>Francisella tularensis</i>	2	2	1
<i>Hantavirus</i>	<i>Andes virus</i>	1	3	0
<i>Hantavirus</i>	<i>Hantaan</i>	1	2	0
<i>Hantavirus</i>	<i>Puumala virus</i>	1	2	0
<i>Hantavirus</i>	<i>Seoul virus</i>	1	2	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	1	2	0
<i>Henipavirus</i>	<i>Hendra virus</i>	1	2	0
<i>Henipavirus</i>	<i>Nipah virus</i>	1	3	0
<i>Influenzavirus A</i>	<i>Influenza A (avian influenza,</i>	1	3	0
<i>Influenzavirus A</i>	<i>Influenza A (pandemic flu,</i>	1	4	0
<i>Influenzavirus A</i>	<i>Influenza A (past pandemics,</i>	1	4	0
<i>Influenzavirus A</i>	<i>Influenza A (swine flu)</i>	1	4	0
<i>Leishmania</i>	<i>Leishmania braziliensis</i>	3	2	1
<i>Leishmania</i>	<i>Leishmania chagasi</i>	3	3	1
<i>Leishmania</i>	<i>Leishmania donovani</i>	3	4	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	3	3	1
<i>Leishmania</i>	<i>Leishmania major</i>	3	2	1
<i>Leishmania</i>	<i>Leishmania mexicana</i>	3	2	1
<i>Leishmania</i>	<i>Leishmania peruviana</i>	3	2	1
<i>Lentivirus</i>	<i>Human Immunodeficiency Virus 1 (origins only,</i>	1	5	0
<i>Lentivirus</i>	<i>Human Immunodeficiency Virus 2 (origins only,</i>	1	5	0
<i>Leptospira</i>	<i>Leptospira interrogans (sensu lato)</i>	2	2	0
<i>Lyssavirus</i>	<i>Australian bat lyssavirus</i>	1	2	0
<i>Lyssavirus</i>	<i>Rabies virus</i>	1	2	0

Pathogen genus	Pathogen species	Pathogen class (1=virus, 2=bacteria, 3=protozoan, 4=prion)	Pathogen stage (2=spillover, 3=stuttering chains, 4=outbreaks)	Transmission mode (0=direct contact, 1=vector-borne, 2=food-borne)
<i>Marburgvirus</i>	<i>Lake Victoria marburgvirus</i>	1	4	0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	2	3	0
<i>Nairovirus</i>	<i>Crimean-Congo Hemorrhagic Fever</i>	1	3	1
<i>Neisseria</i>	<i>Neisseria weaveri</i>	2	2	0
<i>Orientia</i>	<i>Orientia tsutsugamushi</i>	2	2	1
<i>Orthobunyavirus</i>	<i>California encephalitis virus</i>	1	2	1
<i>Orthopoxvirus</i>	<i>Monkeypox</i>	1	3	0
<i>Phlebovirus</i>	<i>Rift Valley fever virus</i>	1	2	1
<i>Rickettsia</i>	<i>Rickettsia prowazekii</i>	2	2	2
<i>Rickettsia</i>	<i>Rickettsia typhi</i>	2	2	1
<i>Salmonella</i>	<i>Salmonella dublin</i>	2	2	2
<i>Salmonella</i>	<i>Salmonella enteritidis</i>	2	2	2
<i>Salmonella</i>	<i>Salmonella spp.</i>	2	2	2
<i>Salmonella</i>	<i>Salmonella typhimurium</i>	2	2	2
<i>Streptococcus</i>	<i>Streptococcus suis</i>	2	2	0
<i>Toxoplasma</i>	<i>Toxoplasma gondii</i>	3	2	0
<i>Transmissible Spongiform Encephalitides</i>	<i>Bovine spongiform encephalitis</i>	4	2	2
<i>Trypanosoma</i>	<i>Trypanosoma brucei rhodesiense</i>	3	2	1
<i>Trypanosoma</i> <i>unclassified</i>	<i>Trypanosoma cruzi</i>	3	2	1
<i>Paramyxoviridae</i>	<i>Menangle virus</i>	1	2	0
<i>Yersinia</i>	<i>Yersinia enterocolitica</i> (O:3, O:5, O:9)	2	3	2
<i>Yersinia</i>	<i>Yersinia pestis</i>	2	4	1

**Table S3. Dynamic modeling studies included in review**

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
Alphavirus	Chikungunya	DeMoor & Steffens (1970)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Alphavirus	Chikungunya	Dumont et al (2008)	0	0	1	0	0	1	1	1	0	0	0	0	0	0	1	1
Alphavirus	Chikungunya	Massad et al (2008)	0	0	1	0	0	1	1	0	0	0	0	0	0	1	1	
Alphavirus	Eastern equine encephalitis virus	Unnasch et al (2006)	1	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1
Alphavirus	Ross River fever	Choi et al (2002)	1	1	0	0	1	0	1	0	1	0	0	0	0	0	0	1
Alphavirus	Ross River fever	Glass (2005)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Arenavirus	Junin virus	Porcasi et al (2005)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Bacillus	Bacillus anthracis	Furniss & Hahn (1981)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Bacillus	Bacillus anthracis	Hahn & Furniss (1983)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Ginsberg (1988)	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Ginsberg (1993)	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Mount et al (1997a)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Mount et al (1997b)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Porco (1999)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Caraco et al (2002)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Borrelia	Borrelia burgdorferi	Schauber & Ostfeld (2002)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Ghosh & Pugliese (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Ding (2007)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Ogden et al (2007)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Rosa & Pugliese (2007)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Borrelia	Borrelia burgdorferi	Hartemink et al (2008)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Brucella	Brucella abortus	Almeida & Louza (1988)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Brucella	Brucella abortus	Peterson et al (1991a)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1
Brucella	Brucella abortus	Peterson et al (1991b)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Brucella	Brucella abortus	Gonzalez-Guzman & Naulin (1994)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Brucella	Brucella abortus	Dobson & Meagher (1996)	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1
Brucella	Brucella abortus	Cantrell et al (2001)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brucella	Brucella abortus	England et al (2004)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Brucella	Brucella melitensis	Zinsstag et al (2005)	1	1	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Campylobacter	Campylobacter fetus and jejuni	Hartnett et al (2001)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Campylobacter	Campylobacter fetus and jejuni	Rosenquist et al (2003)	0	1	0	1	0	0	0	0	1	0	0	0	1	0	1	1
Campylobacter	Campylobacter fetus and jejuni	Van Gerwe et al (2005)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
Campylobacter	Campylobacter fetus and jejuni	Conlan et al (2007)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Campylobacter	Campylobacter fetus and jejuni	Nauta et al (2007)	0	1	0	1	0	0	0	0	0	0	0	0	1	0	1	1
Coronavirus	SARS Coronavirus	Choi & Pak (2003)	0	0	0	0	0	1	1	0	0	1	0	0	0	0	1	0
Coronavirus	SARS Coronavirus	Chowell et al (2003)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	Lipsitch et al (2003)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	Lloyd-Smith et al (2003)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Ng et al (2003)	0	0	0	0	0	1	0	1	0	1	0	0	0	1	0	1

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
Coronavirus	SARS Coronavirus	Riley et al (2003)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	Shi (2003)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	Wang et al (2003)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zhou & Yan (2003)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Chowell et al (2004a)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Ding et al (2004)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Fang et al (2004)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Gumel et al (2004)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Hsieh et al (2004a)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Hsieh et al (2004b)	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Huang et al (2004)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Li et al (2004a)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Li et al (2004b)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Li et al (2004c)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Masuda et al (2004)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Nishiura et al (2004)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Small et al (2004)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Wallinga & Teunis (2004)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Wang & Ruan (2004)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Webb et al (2004)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Yu et al (2004)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zhang et al (2004)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zhou & Yan (2004)	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zhou et al (2004)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Becker et al (2005)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Gjorgjieva et al (2005)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Khan et al (2005)	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0
Coronavirus	SARS Coronavirus	Massad et al (2005)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Meyers et al (2005)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Nishiura et al (2005)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Small & Tse (2005a)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Small & Tse (2005b)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zhang & Hao (2005)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Zhang et al (2005)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Bombardt (2006)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Cauchemez et al (2006)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Chen et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Coronavirus	SARS Coronavirus	Drake et al (2006)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Glass & Becker (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Gumel et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Hsu & Hsieh (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
Coronavirus	SARS Coronavirus	McBryde et al (2006)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	McLeod et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Coronavirus	SARS Coronavirus	Ruan et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Small et al (2006)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Wang et al (2006)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Colizza et al (2007b)	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Fukutome et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Hsieh et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Hsu & Roeger (2007)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Jiang (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Coronavirus	SARS Coronavirus	Kwok et al (2007)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Pitzer et al (2007)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Zeng et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	1
Coronavirus	SARS Coronavirus	Zhang (2007)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Chen et al (2008)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Coronavirus	SARS Coronavirus	Yan & Zou (2008)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Ebolavirus	Ebola virus (Zaire)	Chowell et al (2004b)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1
Ebolavirus	Ebola virus (Zaire)	Caillaud et al (2006)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Ebolavirus	Ebola virus (Zaire)	Lekone and Finkenstadt (2006)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1
Ebolavirus	Ebola virus (Zaire)	Legrand et al (2007)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1
Ebolavirus	Ebola virus (Zaire)	Rizkalla et al (2007)	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Ehrlichia	Ehrlichia chaffeensis	Gaff & Gross (2007)	1	1	0	0	0	0	0	0	1	1	1	0	0	0	0	1
Escherichia	E. coli (non O157:H7)	Davis & Gordon (2002)	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Escherichia	E. coli (non O157:H7)	Geenen et al (2004)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Escherichia	E. coli (non O157:H7)	Geenen et al (2005)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Escherichia	E. coli (non O157:H7)	Liu et al (2005)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Escherichia	E. coli (non O157:H7)	Dopfer et al (2006)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Escherichia	E. coli (non O157:H7)	Liu et al (2007b)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Jordan et al (1999a)	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Jordan et al (1999b)	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Laegreid & Keen (2004)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Ahmadi et al (2006)	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Matthews et al (2006a)	1	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Matthews et al (2006b)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Turner et al (2006)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Wood et al (2006a)	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1
Escherichia	E. coli (O157:H7)	Wood et al (2006b)	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
Escherichia	E. coli (O157:H7)	Ahmadi et al (2007)	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
Escherichia	E. coli (O157:H7)	Liu et al (2007a)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Seto et al (2007)	0	0	1	0	1	0	1	1	1	0	0	0	0	0	0	1
Escherichia	E. coli (O157:H7)	Stacey et al (2007)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
<i>Escherichia</i>	<i>E. coli</i> (O157:H7)	Wood et al (2007a)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
<i>Flavivirus</i>	<i>Japanese encephalitis virus</i>	Mukhopadhyay & Tapaswi (1994)	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>Japanese encephalitis virus</i>	Tapaswi et al (1995)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>Japanese encephalitis virus</i>	Ghosh & Tapaswi (1999)	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Louping III virus</i>	Hudson et al (1995)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Louping III virus</i>	Norman et al (1999)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>Louping III virus</i>	Laurenson et al (2000)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Louping III virus</i>	Gilbert et al (2001)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Louping III virus</i>	Laurenson et al (2003)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Louping III virus</i>	Norman et al (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>Murray Valley encephalitis virus</i>	Kay et al (1987)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>St Louis encephalitis virus</i>	Lord & Day (2001a)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>St Louis encephalitis virus</i>	Lord & Day (2001b)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>Tick Borne Encephalitis</i>	Lindgren (1998)	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	1
<i>Flavivirus</i>	<i>Tick Borne Encephalitis</i>	Rosa et al (2003)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Tick Borne Encephalitis</i>	Foppa (2005)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Lord & Day (2001b)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>West Nile Virus</i>	Thomas & Urena (2001)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Flavivirus</i>	<i>West Nile Virus</i>	Wonham et al (2004)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Bowman et al (2005)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Cruz-Pacheco et al (2005)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Kenkre et al (2005)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Flavivirus</i>	<i>West Nile Virus</i>	Lewis et al (2006)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Lewis et al (2006b)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Flavivirus</i>	<i>West Nile Virus</i>	Liu et al (2006)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>West Nile Virus</i>	Hartemink et al (2007)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Flavivirus</i>	<i>Yellow fever virus</i>	Massad et al (2001a)	0	0	0	0	0	1	1	0	1	0	0	0	0	1	0	1
<i>Hantavirus</i>	<i>Puumala virus</i>	Sauvage et al (2003)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Hantavirus</i>	<i>Puumala virus</i>	Wolf (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Puumala virus</i>	Sauvage et al (2007)	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Abramson & Kenkre (2002)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Aguirre et al (2002)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Abramson & Kenkre (2003)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Allen et al (2003)	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Buceta et al (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Escudero et al (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Kenkre (2005)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Allen et al (2006)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Chen & Clemence (2006a)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Chen & Clemence (2006b)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hantavirus</i>	<i>Sin Nombre virus</i>	Peixoto & Abramson (2006)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
Hantavirus	<i>Sin Nombre virus</i>	Kenkre et al (2007)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Hantavirus	<i>Sin Nombre virus</i>	Adler et al (2008)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hantavirus	<i>Sin Nombre virus</i>	Camelo-Neto et al (2008)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Influenzavirus A	<i>Avian influenza</i>	van der Goot et al (2003a)	1	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	van der Goot et al (2003b)	1	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Ferguson et al (2004)	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0
Influenzavirus A	<i>Avian influenza</i>	Stegeman et al (2004)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	van der Goot et al (2005)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Le Menach et al (2006)	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Bos et al (2007)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Busani et al (2007)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Garske et al (2007)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Guan et al (2007)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Guberti et al (2007)	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Mannelli et al (2007)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Small et al (2007)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Tiensin et al (2007)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Truscott et al (2007)	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	van Boven et al (2007)	0	0	1	0	1	0	1	1	1	0	0	0	0	0	1	1
Influenzavirus A	<i>Avian influenza</i>	van der Goot et al (2007)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Yang et al (2007)	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Bettencourt & Ribeiro (2008)	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0
Influenzavirus A	<i>Avian influenza</i>	Elbakidze (2008)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
Influenzavirus A	<i>Avian influenza</i>	Rao (2008)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	1
Influenzavirus A	<i>Avian influenza</i>	Sharkey et al (2008)	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1
Influenzavirus A	<i>Avian influenza</i>	Upadhyay et al (2008)	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Rvachev & Longini (1985)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Ferguson et al (2003)	0	0	0	0	0	1	0	1	0	0	0	1	0	1	1	1
Influenzavirus A	<i>Influenza A virus</i>	Grais et al (2003)	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Sattenspiel & Herring (2003)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Longini et al (2004)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Mills et al (2004)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Ferguson et al (2005)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Gani et al (2005)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Longini et al (2005)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Patel et al (2005)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Bansal et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Carat et al (2006)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Chowell et al (2006a)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Chowell et al (2006b)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Cooper et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	1

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
Influenzavirus A	<i>Influenza A virus</i>	Day et al (2006)	0	0	1	0	0	0	1	0	1	0	0	1	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Ferguson et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Flahault et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Germann et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Glass et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Mills et al (2006)	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0
Influenzavirus A	<i>Influenza A virus</i>	Sertsou et al (2006)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Wu et al (2006)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Alexander et al (2007)	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Bootsma & Ferguson (2007)	0	0	0	0	0	1	0	1	1	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Chowell et al (2007a)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Chowell et al (2007b)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Colizza et al (2007a)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Debarre et al (2007)	0	0	0	0	0	1	0	0	1	1	0	1	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Duerr et al (2007a)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Duerr et al (2007b)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Eichner et al (2007)	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Epstein et al (2007)	0	0	0	0	0	1	0	0	1	1	1	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Galvani et al (2007)	0	0	0	0	0	1	0	1	1	0	1	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Gardam et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Glass & Barnes (2007)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Haber et al (2007)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Hall et al (2007)	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Iwami et al (2007)	0	1	0	0	1	1	0	0	1	1	0	1	0	0	0	0
Influenzavirus A	<i>Influenza A virus</i>	Larson (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Influenzavirus A	<i>Influenza A virus</i>	Lee & Chen (2007)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Lessler et al (2007)	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Lipsitch et al (2007)	0	0	0	0	0	1	0	0	1	1	0	1	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Massad et al (2007)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Mathews et al (2007)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	McCaw & McVernon (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Nuno et al (2007)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Riley et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Roberts et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Vynnycky et al (2007)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Wood JG et al (2007)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Ajelli & Merler (2008)	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	1
Influenzavirus A	<i>Influenza A virus</i>	Alexander et al (2008)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Andreasen et al (2008)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
Influenzavirus A	<i>Influenza A virus</i>	Arinaminpathy & McLean(2008)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
Influenzavirus A	<i>Influenza A virus</i>	Atkinson & Wein (2008)	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1	0

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Caley et al (2008)	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1	1
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Cauchemez et al (2008)	0	0	0	0	0	1	1	0	1	1	0	0	0	0	1	1
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Chowell et al (2008)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Ciofi degli Atti et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Das et al (2008)	0	0	0	0	0	1	0	0	1	1	1	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Davey & Glass (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Davey et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Gumel et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Halloran et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Iwami et al (2008)	0	1	0	0	1	1	0	0	1	1	1	0	0	0	0	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Kerneis et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	McCaw et al (2008)	0	0	0	0	0	1	0	0	1	1	0	1	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Miller et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Moghadas et al (2008)	0	0	0	0	0	1	0	0	1	1	0	1	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Mylius et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	Nuno et al (2008)	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	0
<i>Influenzavirus A</i>	<i>Influenza A virus</i>	White & Pagano (2008)	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania (general)</i>	Hasibeder et al (1992)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<i>Leishmania</i>	<i>Leishmania (general)</i>	Burattini et al (1998)	1	1	0	0	0	0	1	0	1	0	0	0	0	0	1	1
<i>Leishmania</i>	<i>Leishmania braziliensis</i>	Chaves & Hernandez (2004)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leishmania</i>	<i>Leishmania braziliensis</i>	Rabinovich & Feliciangeli (2004)	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania braziliensis</i>	Chaves et al (2007)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania braziliensis</i>	Das et al (2007)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leishmania</i>	<i>Leishmania chagasi</i>	Courtenay et al (2002)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania chagasi</i>	Palatnik-de-Sousa et al (2004)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Dye (1988)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Dye et al (1992)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Dye & Williams (1993)	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Dye (1996)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Quinnell et al (1997)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Reithinger et al (2003)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania infantum</i>	Reithinger et al (2004)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
<i>Leishmania</i>	<i>Leishmania major</i>	Dye & Davies (1990)	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
<i>Leishmania</i>	<i>Leishmania major</i>	Garnick (1992)	1	1	0	0	0	1	0	0	0	0	0	1	0	1	1	1
<i>Leishmania</i>	<i>Leishmania mexicana</i>	Kerr et al (1997)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
<i>Leishmania</i>	<i>Leishmania peruviana</i>	Dye (1992)	1	0	0	0	0	1	1	1	0	0	0	1	0	0	0	1
<i>Leptospira</i>	<i>Leptospira interrogans</i>	Bennett (1993)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptospira</i>	<i>Leptospira interrogans</i>	van der Kamp et al (1990)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
<i>Leptospira</i>	<i>Leptospira interrogans</i>	Caley & Ramsey (2001)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
<i>Leptospira</i>	<i>Leptospira interrogans</i>	Holt et al (2006)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Lyssavirus</i>	<i>Rabies virus</i>	Preston (1973)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0

Pathogen		Study	Zoonotic phases					Topics addressed					Data use						
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level	
Lyssavirus	Rabies virus	Frerichs & Prawda (1975)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	
Lyssavirus	Rabies virus	Anderson et al (1981)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	
Lyssavirus	Rabies virus	David et al (1982)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	
Lyssavirus	Rabies virus	Kallen (1984)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Kallen et al (1985)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Garnerin et al (1986)	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Murray et al (1986)	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Coyne et al (1989)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Gardner et al (1990)	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Smith et al (1991)	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Murray & Seward (1992)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Cleaveland & Dye (1995)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	White et al (1995c)	1	0	0	0	0	0	1	0	1	1	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Artois et al (1997)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Jeltsch et al (1997)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Rhodes et al (1998)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Tischendorf et al (1998)	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Benyoussef et al (1999)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Childs et al (2000)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Lyssavirus	Rabies virus	Deal et al (2000)	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Fowler et al (2000)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Langlais & Suppo (2000)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lyssavirus	Rabies virus	Suppo et al (2000)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Massad et al (2001b)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Allen et al (2002)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Lyssavirus	Rabies virus	Bohrer et al (2002)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Cleaveland et al (2002)	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Smith & Wilkinson (2002)	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Smith et al (2002)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
Lyssavirus	Rabies virus	Tuyl'ko & Kuzmin (2002)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Elrish and Twizell (2004)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lyssavirus	Rabies virus	Thulke et al (2004)	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Eisinger et al (2005)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Knobel et al (2005)	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Russell et al (2005)	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0
Lyssavirus	Rabies virus	Smith et al (2005)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Haydon et al (2006)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Lyssavirus	Rabies virus	Ou & Wu (2006)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lyssavirus	Rabies virus	Vial et al (2006)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Lyssavirus	Rabies virus	Dimitrov et al (2007)	1	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	
Lyssavirus	Rabies virus	Hampson et al (2007)	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species		Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level
<i>Lyssavirus</i>	<i>Rabies virus</i>	Asano et al (2008)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0															1 0 1 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Anderson & Trewella (1985)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0															0 0 1 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow (1991a)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow (1991b)	1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															0 0 1 0 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Roberts (1992)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 0 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow (1993)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 1 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Bentil & Murray (1993)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Smith et al (1995)	1 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	White & Harris (1995a)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	White & Harris (1995b)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Roberts (1996)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Ruxton (1996)	1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow et al (1997)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Smith et al (1997)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Swinton et al (1997)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	White et al (1997)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow et al (1998)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	McCarty & Miller (1998)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 1 1 0 0 0 0 0 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Wahlstrom et al (1998)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Kao & Roberts (1999)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 1 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Kean et al (1999)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Barlow (2000)	1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Smith et al (2001a)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Smith et al (2001b)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Caley & Hone (2002)	1 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Fulford et al (2002)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Perez et al (2002a)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Perez et al (2002b)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Shirley et al (2003)	1 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Cross et al (2004)	1 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Wilkinson et al (2004)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0															0 0 0 0 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Fischer et al (2005)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0															0 0 0 1 0 1
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	van Asseldonk et al (2005)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Bar-David et al (2006)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Cross & Getz (2006)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Mathews et al (2006)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Smith et al (2007)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 0															0 0 0 1 0 0
<i>Mycobacterium</i>	<i>Mycobacterium bovis</i>	Green et al (2008)	1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Nairovirus</i>	Crimean-Congo Hemorrhagic Fever	Goldfarb et al (1980)	0 0 1 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0															0 0 0 1 0 1
<i>Orthopoxvirus</i>	Monkeypox virus	Jezek et al (1987)	0 0 0 1 0 0 1 0 0 0 0 1 0 0 0 1 0 0 0 0 0 0															0 0 0 1 0 1
<i>Orthopoxvirus</i>	Monkeypox virus	Fine et al (1988)	0 0 0 0 1 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0															0 0 0 1 0 1

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species		Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level
Salmonella	Salmonella dublin	Nielsen et al (2007)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0															
Salmonella	Salmonella dublin, typhimurium	Van Schaik et al (2007)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1															
Salmonella	Salmonella enteritidis	Watier et al (1993)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 1															
Salmonella	Salmonella enteritidis	Prevost et al (2006)	1 0 0 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 1 0 1															
Salmonella	Salmonella typhimurium	Nauta et al (2000)	0 0 0 1 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Ranta & Majala (2002)	1 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Ivanek et al (2004)	1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Krieter et al (2004)	1 0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 1															
Salmonella	Salmonella typhimurium	van der Gaag et al (2004a)	1 1 0 1 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	van der Gaag et al (2004b)	1 1 0 1 0 0 0 0 0 0 1 0 1 0 1 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Xiao et al (2005)	1 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Xiao et al (2006)	1 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Salmonella	Salmonella typhimurium	Xiao et al (2007)	1 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Papoz (1986)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Ades & Nokes (1993)	0 0 1 0 0 0 0 0 0 0 1 1 0 1 0 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Larsen & Lebech (1994)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Mateus-Pinilla et al (2002)	1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Naoi & Yano (2002)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
Toxoplasma	Toxoplasma gondii	Welton & Ades (2005)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 0 0 0															
Trypanosoma	Trypanosoma brucei rhodesiense	Rogers (1988)	1 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma brucei rhodesiense	Baker et al (1990)	1 0															
Trypanosoma	Trypanosoma brucei rhodesiense	Baker (1992)	1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Rabinovich et al (1990)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Velasco-Hernandez (1991)	0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Velasco-Hernandez (1994)	0 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Cohen and Gurtler (2001)	0 1 0 0 0 1 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Paz-Bailey et al (2002)	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Inaba & Sekine (2004)	0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0															
Trypanosoma	Trypanosoma cruzi	Das & Mukherjee (2006)	0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0															
TSE	BSE	Anderson et al (1996)	1 0 0 0 0 0 0 0 0 0 1 1 1 1 0 0 0 0 0 0 1															
TSE	BSE	Ferguson et al (1997)	1 0 0 0 0 0 0 0 0 0 1 1 0 1 0 0 0 0 0 0 1															
TSE	BSE	Ferguson et al (1998)	1 0 0 0 0 0 0 0 0 0 1 1 0 1 0 0 0 0 0 0 1															
TSE	BSE	Ghani et al (1998)	0 0 1 0 0 0 0 0 0 0 1 1 0 1 0 0 0 0 0 0 1															
TSE	BSE	Ferguson et al (1999)	1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 1															
TSE	BSE	Ghani et al (2000)	0 0 1 0 0 0 0 0 0 0 1 1 0 1 0 0 0 0 0 0 1															
TSE	BSE	Hagenaars et al (2000)	1 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 1															
TSE	BSE	d'Aignaux et al (2001)	0 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
TSE	BSE	de Koeijer et al (2002)	1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
TSE	BSE	Donnelly (2002)	1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
TSE	BSE	Donnelly et al (2002)	1 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0															
TSE	BSE	Ferguson et al (2002)	1 1 0 0 0 0 0 0 0 0 1 0 1 1 0 0 0 0 0 0 1															

Pathogen		Study	Zoonotic phases					Topics addressed					Data use					
Pathogen genus	Pathogen species	Citation	Reservoir dynamics	Spillover: explicit	Spillover: implicit	Spillover: food-borne	Stuttering chains	Outbreaks in humans	Parameter estimation	Explain patterns	Control measures	Prediction	Economic aspects	Pathogen evolution	Within-host dynamics	Pathogen interactions	Data used: Individual level	Data used: Population level
TSE	BSE	Habtemariam et al (2002)	1	1	0	0	0	1	0	0	0	1	0	0	0	0	1	1
TSE	BSE	Kao et al (2002)	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
TSE	BSE	Arnold & Wilesmith (2003)	1	0	0	0	0	0	1	1	1	1	0	0	0	0	0	1
TSE	BSE	Boelle et al (2003)	0	0	1	0	0	0	1	1	0	1	0	0	0	0	0	1
TSE	BSE	d'Aignaux et al (2003)	1	1	0	0	0	0	1	0	0	1	0	0	0	0	0	1
TSE	BSE	Ferguson & Donnelly (2003)	1	1	0	0	0	0	1	0	1	1	0	0	0	0	0	1
TSE	BSE	Ghani et al (2003a)	0	0	1	0	0	0	1	1	0	1	0	0	0	0	0	1
TSE	BSE	Ghani et al (2003b)	0	0	1	0	0	0	1	1	0	1	0	0	0	0	0	1
TSE	BSE	Morley et al (2003)	1	1	0	0	0	0	0	0	1	0	1	0	0	0	0	1
TSE	BSE	Arnold & Wilesmith (2004)	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1
TSE	BSE	de Koeijer et al (2004)	1	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
TSE	BSE	Chadeau-Hyam & Alpérövitch (2005)	0	0	1	0	0	1	1	0	0	1	0	0	0	0	0	1
TSE	BSE	Clarke & Gani (2005)	1	1	0	0	0	0	1	1	0	1	0	0	0	0	0	1
TSE	BSE	Garske et al (2006)	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	1
TSE	BSE	Clarke et al (2007)	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	1
TSE	BSE	Dietz et al (2007)	1	1	0	0	1	0	1	0	1	0	0	0	0	0	0	1
TSE	BSE	Fryer et al (2007)	1	1	0	0	0	0	1	0	1	0	0	0	0	0	0	1
TSE	BSE	Jacob & Magal (2007)	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
TSE	BSE	Sugiura & Murray (2007)	1	0	0	0	0	0	1	0	1	0	1	0	0	0	0	1
TSE	BSE	Sugiura et al (2008)	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
TSE	BSE	Yamamoto et al (2008)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia enterocolitica</i>	Jones et al (1994)	1	0	0	1	0	0	1	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Noble (1974)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Keeling & Gilligan (2000a)	1	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Keeling & Gilligan (2000b)	1	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Davis et al (2004)	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Gani & Leach (2004)	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Nishiura et al (2006)	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Webb et al (2006)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Davis et al (2007a)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Davis et al (2007b)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Foley et al (2007)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Kausrud et al (2007)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Snall et al (2008)	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Buzby et al (2008)	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Yersinia	<i>Yersinia pestis</i>	Davis et al (2008)	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1

## REFERENCES FROM TABLE S3

- Abramson, G., and V. M. Kenkre. 2002. Spatiotemporal patterns in the Hantavirus infection. *Physical Review E* 66.
- Abramson, G., V. M. Kenkre, T. L. Yates, and R. R. Parmenter. 2003. Traveling waves of infection in the hantavirus epidemics. *Bulletin of Mathematical Biology* 65:519-534.
- Ades, A. E., and D. J. Nokes. 1993. Modeling age-specific and time-specific incidence from seroprevalence - toxoplasmosis. *American Journal of Epidemiology* 137:1022-1034.
- Adler, F. R., J. M. C. Pearce-Duvet, and M. D. Dearing. 2008. How host population dynamics translate into time-lagged prevalence: An investigation of Sin Nombre virus in deer mice. *Bulletin of Mathematical Biology* 70:236-252.
- Aguirre, M. A., G. Abramson, A. R. Bishop, and V. M. Kenkre. 2002. Simulations in the mathematical modeling of the spread of the Hantavirus. *Physical Review E* 66.
- Ahmadi, B. V., K. Frankena, J. Turner, A. G. J. Velthuis, H. Hogeweegen, and R. B. M. Huirne. 2007. Effectiveness of simulated interventions in reducing the estimated prevalence of *E. coli* O157 : H7 in lactating cows in dairy herds. *Veterinary Research* 38:755-771.
- Ahmadi, B. V., A. G. J. Velthuis, H. Hogeweegen, and R. B. M. Huirne. 2006. Simulating *Escherichia coli* O157 : H7 transmission to assess effectiveness of interventions in Dutch dairy-beef slaughterhouses. *Preventive Veterinary Medicine* 77:15-30.
- Ajelli, M., and S. Merler. 2008. The impact of the unstructured contacts component in influenza pandemic modeling. *PLoS ONE* 3:e1519.
- Alexander, M. E., C. S. Bowman, Z. L. Feng, M. Gardam, S. M. Moghadas, G. Rost, J. H. Wu et al. 2007. Emergence of drug resistance: implications for antiviral control of pandemic influenza. *Proceedings of the Royal Society B-Biological Sciences* 274:1675-1684.
- Alexander, M. E., S. M. Moghadas, G. Rost, and J. H. Wu. 2008. A delay differential model for pandemic influenza with antiviral treatment. *Bulletin of Mathematical Biology* 70:382-397.
- Allen, L. J. S., D. A. Flores, R. K. Ratnayake, and J. R. Herbold. 2002. Discrete-time deterministic and stochastic models for the spread of rabies. *Applied Mathematics and Computation* 132:271-292.
- Allen, L. J. S., M. Langlais, and C. J. Phillips. 2003. The dynamics of two viral infections in a single host population with applications to hantavirus. *Mathematical Biosciences* 186:191-217.
- Allen, L. J. S., R. K. McCormack, and C. B. Jonsson. 2006. Mathematical models for hantavirus infection in rodents. *Bulletin of Mathematical Biology* 68:511-524.
- Almeida, V. S., and A. C. Louza. 1988. Simple mathematical modeling of brucellosis in Portuguese dairy herds. *Acta Veterinaria Scandinavica*:477-479.
- Anderson, R. M., C. A. Donnelly, N. M. Ferguson, M. E. J. Woolhouse, C. J. Watt, H. J. Udy, S. MaWhinney et al. 1996. Transmission dynamics and epidemiology of BSE in British cattle. *Nature* 382:779-788.
- Anderson, R. M., H. C. Jackson, R. M. May, and A. M. Smith. 1981. Population dynamics of fox rabies in Europe. *Nature* 289:765-771.
- Anderson, R. M., and W. Trewhella. 1985. Population dynamics of the badger (*Meles meles*) and the epidemiology of bovine tuberculosis (*Mycobacterium bovis*). *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 310:327-381.
- Andreasen, V., C. Viboud, and L. Simonsen. 2008. Epidemiologic characterization of the 1918 influenza pandemic summer wave in Copenhagen: Implications for pandemic control strategies. *Journal of Infectious Diseases* 197:270-278.
- Arinaminpathy, N., and A. R. McLean. 2008. Antiviral treatment for the control of pandemic influenza: some logistical constraints. *Journal of the Royal Society Interface* 5:545-553.
- Arnold, M., and J. Wilesmith. 2003. Modelling studies on bovine spongiform encephalopathy occurrence to assist in the review of the over 30 months rule in Great Britain. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270:2141-2145.

- Arnold, M. E., and J. W. Wilesmith. 2004. Estimation of the age-dependent risk of infection to BSE of dairy cattle in Great Britain. *Preventive Veterinary Medicine* 66:35-47.
- Artois, M., M. Langlais, and C. Suppo. 1997. Simulation of rabies control within an increasing fox population. *Ecological Modelling* 97:23-34.
- Asano, E., L. J. Gross, S. Lenhart, and L. A. Real. 2008. Optimal control of vaccine distribution in a rabies metapopulation model. *Mathematical Biosciences and Engineering* 5:219-238.
- Atkinson, M. P., and L. M. Wein. 2008. Quantifying the routes of transmission for pandemic influenza. *Bulletin of Mathematical Biology* 70:820-867.
- Baker, R. D. 1992. Modeling trypanosomiasis prevalence and periodic epidemics and epizootics. *IMA Journal of Mathematics Applied in Medicine and Biology* 9:269-287.
- Baker, R. D., I. Maudlin, P. J. M. Milligan, D. H. Molyneux, and S. C. Welburn. 1990. The possible role of *Rickettsia*-like organisms in trypanosomiasis epidemiology. *Parasitology* 100:209-217.
- Bansal, S., B. Pourbohloul, and L. A. Meyers. 2006. A comparative analysis of influenza vaccination programs. *PLoS Medicine* 3:e387.
- Bar-David, S., J. O. Lloyd-Smith, and W. M. Getz. 2006. Dynamics and management of infectious disease in colonizing populations. *Ecology* 87:1215-1224.
- Barlow, N. D. 1991a. Control of endemic bovine TB in New Zealand possum populations: results from a simple model. *Journal of Applied Ecology* 28:794-809.
- . 1991b. A spatially aggregated disease-host model for bovine TB in New Zealand possum populations. *Journal of Applied Ecology* 28:777-793.
- . 1993. A model for the spread of bovine TB in New Zealand possum populations. *Journal of Applied Ecology* 30:156-164.
- . 2000. Non-linear transmission and simple models for bovine tuberculosis. *Journal of Animal Ecology* 69:703-713.
- Barlow, N. D., J. M. Kean, N. P. Caldwell, and T. J. Ryan. 1998. Modelling the regional dynamics and management of bovine tuberculosis in New Zealand cattle herds. *Preventive Veterinary Medicine* 36:25-38.
- Barlow, N. D., J. M. Kean, G. Hickling, P. G. Livingstone, and A. B. Robson. 1997. A simulation model for the spread of bovine tuberculosis within New Zealand cattle herds. *Preventive Veterinary Medicine* 32:57-75.
- Becker, N. G., K. Glass, Z. F. Li, and G. K. Aldis. 2005. Controlling emerging infectious diseases like SARS. *Mathematical Biosciences* 193:205-221.
- Bennett, R. M. 1993. Decision support risk-assessment and simulation models of the costs of leptospirosis in dairy herds. *Agricultural Systems* 43:115-132.
- Bentil, D. E., and J. D. Murray. 1993. Modeling bovine tuberculosis in badgers. *Journal of Animal Ecology* 62:239-250.
- Benyoussef, A., N. Boccara, H. Chakib, and H. Ez-Zahraouy. 1999. Lattice three-species models of the spatial spread of rabies among foxes. *International Journal of Modern Physics C* 10:1025-1038.
- Bettencourt, L. M., and R. M. Ribeiro. 2008. Real time bayesian estimation of the epidemic potential of emerging infectious diseases. *PLoS ONE* 3:e2185.
- Boelle, P., G. Thomas, A. J. Valleron, J. Y. Cesbron, and R. Will. 2003. Modelling the epidemic of variant Creutzfeldt-Jakob disease in the UK based on age characteristics: updated, detailed analysis. *Statistical Methods in Medical Research* 12:221-233.
- Bohrer, G., S. Shem-Tov, E. Summer, K. Or, and D. Saltz. 2002. The effectiveness of various rabies spatial vaccination patterns in a simulated host population with clumped distribution. *Ecological Modelling* 152:205-211.
- Bombardt, J. N. 2006. Congruent epidemic models for unstructured and structured populations: Analytical reconstruction of a 2003 SARS outbreak. *Mathematical Biosciences* 203:171-203.
- Bootsma, M. C. J., and N. M. Ferguson. 2007. The effect of public health measures on the 1918 influenza pandemic in US cities. *Proceedings of the National Academy of Sciences of the United States of America* 104:7588-7593.

- Bos, M. E. H., M. Van Boven, M. Nielen, A. Bouma, A. R. W. Elbers, G. Nodelijk, G. Koch et al. 2007. Estimating the day of highly pathogenic avian influenza (H7N7) virus introduction into a poultry flock based on mortality data. *Veterinary Research* 38:493-504.
- Bowman, C., A. B. Gumel, P. van den Driessche, J. Wu, and H. Zhu. 2005. A mathematical model for assessing control strategies against West Nile virus. *Bulletin of Mathematical Biology* 67:1107-1133.
- Buceta, J., C. Escudero, F. J. de la Rubia, and K. Lindenberg. 2004. Outbreaks of Hantavirus induced by seasonality. *Physical Review E* 69.
- Burattini, M. N., F. A. B. Coutinho, L. F. Lopez, and E. Massad. 1998. Modelling the dynamics of leishmaniasis considering human, animal host and vector populations. *Journal of Biological Systems* 6:337-356.
- Busani, L., M. D. Pozza, L. Bonfanti, M. Toson, N. Ferre, and S. Marangon. 2007. Intervention strategies for low-pathogenic avian influenza control in Italy. *Avian Diseases* 51:470-473.
- Buzby, M., D. Neckels, M. F. Antolin, and D. Estep. 2008. Analysis of the sensitivity properties of a model of vector-borne bubonic plague. *Journal of the Royal Society Interface* 5:1099-1107.
- Caillaud, D., F. Levrero, R. Cristescu, Gatti, M. Dewas, M. Douadi, A. Gautier-Hion et al. 2006. Gorilla susceptibility to Ebola virus: The cost of sociality. *Current Biology* 16:R489-R491.
- Caley, P., and J. Hone. 2002. Estimating the force of infection; *Mycobacterium bovis* infection in feral ferrets *Mustela furo* in New Zealand. *Journal of Applied Ecology* 71:44-54.
- Caley, P., D. J. Philp, and K. McCracken. 2008. Quantifying social distancing arising from pandemic influenza. *Journal of the Royal Society Interface* 5:631-639.
- Caley, P., and D. Ramsey. 2001. Estimating disease transmission in wildlife, with emphasis on leptospirosis and bovine tuberculosis in possums, and effects of fertility control. *Journal of Applied Ecology* 38:1362-1370.
- Camelo-Neto, G., A. T. C. Silva, L. Giuggioli, and V. M. Kenkre. 2008. Effect of predators of juvenile rodents on the spread of the Hantavirus epidemic. *Bulletin of Mathematical Biology* 70:179-188.
- Cantrell, R. S., C. Cosner, and W. F. Fagan. 2001. Brucellosis, botflies, and brainworms: the impact of edge habitats on pathogen transmission and species extinction. *Journal of Mathematical Biology* 42:95-119.
- Caraco, T., S. Glavanakov, G. Chen, J. E. Flaherty, T. K. Ohsumi, and B. K. Szymanski. 2002. Stage-structured infection transmission and a spatial epidemic: A model for Lyme disease American Naturalist 160:348-359
- Carrat, F., J. Luong, H. Lao, A. V. Salle, C. Lajaunie, and H. Wackernagel. 2006. A 'small-world-like' model for comparing interventions aimed at preventing and controlling influenza pandemics. *BMC Medicine* 4.
- Cauchemez, S., P. Y. Boelle, C. A. Donnelly, N. M. Ferguson, G. Thomas, G. M. Leung, A. J. Hedley et al. 2006. Real-time estimates in early detection of SARS. *Emerging Infectious Diseases* 12:110-113.
- Cauchemez, S., A. J. Valleron, P. Y. Boelle, A. Flahault, and N. M. Ferguson. 2008. Estimating the impact of school closure on influenza transmission from Sentinel data. *Nature* 452:750-754.
- Chadeau-Hyam, M., and A. Alperovitch. 2005. Variant Creutzfeldt-Jakob disease in France: estimating the number of cases related to travel to the United Kingdom between 1980 and 1995. *Revue D Epidemiologie Et De Sante Publique* 53:15-24.
- Chaves, L. F., and M. J. Hernandez. 2004. Mathematical modelling of American Cutaneous Leishmaniasis: incidental hosts and threshold conditions for infection persistence. *Acta Tropica* 92:245-252.
- Chaves, L. F., M. J. Hernandez, A. P. Dobson, and M. Pascual. 2007. Sources and sinks: revisiting the criteria for identifying reservoirs for American cutaneous leishmaniasis. *Trends in Parasitology* 23:311-316.

- Chen, F., R. M. Huggins, P. S. F. Yip, and K. F. Lam. 2008. Nonparametric estimation of multiplicative counting process intensity functions with an application to the beijing SARS epidemic. *Communications in Statistics-Theory and Methods* 37:294-306.
- Chen, M. I. C., L. B. H. Tan, and Y. Y. Ng. 2006. Modelling the utility of body temperature readings from primary care consults for SARS surveillance in an army medical centre. *Annals Academy of Medicine Singapore* 35:236-241.
- Chen, M. X., and D. P. Clemence. 2006a. Analysis of and numerical schemes for a mouse population model in Hantavirus epidemics. *Journal of Difference Equations and Applications* 12:887-899.
- . 2006b. Stability properties of a nonstandard finite difference scheme for a hantavirus epidemic model. *Journal of Difference Equations and Applications* 12:1243-1256.
- Childs, J. E., A. T. Curns, M. E. Dey, L. A. Real, L. Feinstein, O. N. Bjornstad, and J. W. Krebs. 2000. Predicting the local dynamics of epizootic rabies among raccoons in the United States. *Proceedings of the National Academy of Sciences of the United States of America* 97:13666-13671.
- Choi, B. C. K., and A. W. P. Pak. 2003. A simple approximate mathematical model to predict the number of severe acute respiratory syndrome cases and deaths. *Journal of Epidemiology and Community Health* 57:831-835.
- Choi, Y. H., C. Comiskey, M. D. A. Lindsay, J. A. Cross, and M. Anderson. 2002. Modelling the transmission dynamics of Ross River virus in Southwestern Australia. *IMA Journal of Mathematics Applied in Medicine and Biology* 19:61-74.
- Chowell, G., C. E. Ammon, N. W. Hengartner, and J. M. Hyman. 2006a. Estimation of the reproductive number of the Spanish flu epidemic in Geneva, Switzerland. *Vaccine* 24:6747-6750.
- . 2006b. Transmission dynamics of the great influenza pandemic of 1918 in Geneva, Switzerland: Assessing the effects of hypothetical interventions. *Journal of Theoretical Biology* 241:193-204.
- . 2007a. Estimating the reproduction number from the initial phase of the Spanish flu pandemic waves in Geneva, Switzerland. *Mathematical Biosciences and Engineering* 4:457-470.
- Chowell, G., L. M. A. Bettencourt, N. Johnson, W. J. Alonso, and C. Viboud. 2008. The 1918-1919 influenza pandemic in England and Wales: spatial patterns in transmissibility and mortality impact. *Proceedings of the Royal Society B-Biological Sciences* 275:501-509.
- Chowell, G., C. Castillo-Chavez, P. W. Fenimore, C. M. Kribs-Zaleta, L. Arriola, and J. M. Hyman. 2004a. Model parameters and outbreak control for SARS. *Emerging Infectious Diseases* 10:1258-1263.
- Chowell, G., P. W. Fenimore, M. A. Castillo-Garsow, and C. Castillo-Chavez. 2003. SARS outbreaks in Ontario, Hong Kong and Singapore: the role of diagnosis and isolation as a control mechanism. *Journal of Theoretical Biology* 224:1-8.
- Chowell, G., N. W. Hengartner, C. Castillo-Chavez, P. W. Fenimore, and J. M. Hyman. 2004b. The basic reproductive number of Ebola and the effects of public health measures: the cases of Congo and Uganda. *Journal of Theoretical Biology* 229:119-126.
- Chowell, G., H. Nishiura, and L. M. A. Bettencourt. 2007b. Comparative estimation of the reproduction number for pandemic influenza from daily case notification data. *Journal of the Royal Society Interface* 4:155-166.
- Ciofi degli Atti, M. L., S. Merler, C. Rizzo, M. Ajelli, M. Massari, P. Manfredi, C. Furlanello et al. 2008. Mitigation measures for pandemic influenza in Italy: an individual based model considering different scenarios. *PLoS ONE* 3:e1790.
- Clarke, P., and A. C. Ghani. 2005. Projections of the future course of the primary vCJD epidemic in the UK: inclusion of subclinical infection and the possibility of wider genetic susceptibility. *Journal of the Royal Society Interface* 2:19-31.
- Clarke, P., R. G. Will, and A. C. Ghani. 2007. Is there the potential for an epidemic of variant Creutzfeld-Jakob disease via blood transfusion in the UK? *Journal of the Royal Society Interface* 4:675-684.
- Cleaveland, S., and C. Dye. 1995. Maintenance of a microparasite infecting several host species: Rabies in the Serengeti. *Parasitology* 111:S33-S47.

- Cleaveland, S., E. M. Fevre, M. Kaare, and P. G. Coleman. 2002. Estimating human rabies mortality in the United Republic of Tanzania from dog bite injuries. *Bulletin of the World Health Organization* 80:304-310.
- Cohen, J. E., and R. E. Gurtler. 2001. Modeling household transmission of American trypanosomiasis. *Science* 293:694-698.
- Colizza, V., A. Barrat, M. Barthelemy, A. J. Valleron, and A. Vespignani. 2007a. Modeling the worldwide spread of pandemic influenza: Baseline case and containment interventions. *PLoS Medicine* 4:95-110.
- Colizza, V., A. Barrat, M. Barthelemy, and A. Vespignani. 2007b. Predictability and epidemic pathways in global outbreaks of infectious diseases: the SARS case study. *BMC Medicine* 5.
- Conlan, A. J., C. Coward, A. J. Grant, D. J. Maskell, and J. R. Gog. 2007. *Campylobacter jejuni* colonization and transmission in broiler chickens: a modelling perspective. *Journal of the Royal Society Interface* 4:819-829.
- Cooper, B. S., R. J. Pitman, W. J. Edmunds, and N. J. Gay. 2006. Delaying the international spread of pandemic influenza. *PLoS Medicine* 3:845-855.
- Courtenay, O., R. J. Quinnell, L. M. Garcez, J. J. Shaw, and C. Dye. 2002. Infectiousness in a cohort of Brazilian dogs: Why culling fails to control visceral leishmaniasis in areas of high transmission. *Journal of Infectious Diseases* 186:1314-1320.
- Coyne, M. J., G. Smith, and F. E. McAllister. 1989. Mathematic model for the population biology of rabies in raccoons in the mid-Atlantic states. *American Journal of Veterinary Research* 50:2148-2154.
- Cross, P. C., and W. M. Getz. 2006. Assessing vaccination as a control strategy in an ongoing epidemic: Bovine tuberculosis in African buffalo. *Ecological Modelling* 196:494-504.
- Cross, P. C., J. O. Lloyd-Smith, J. A. Bowers, C. T. Hay, M. Hofmeyr, and W. M. Getz. 2004. Integrating association data and disease dynamics in a social ungulate: bovine tuberculosis in African buffalo in the Kruger National Park. *Annales Zoologici Fennici* 41:879-892.
- Cruz-Pacheco, G., L. Esteva, J. A. Montano-Hirose, and C. Vargas. 2005. Modelling the dynamics of West Nile Virus. *Bulletin of Mathematical Biology* 67:1157-1172.
- d'Aignaux, J. N. H., S. N. Cousens, and P. G. Smith. 2001. Predictability of the UK variant Creutzfeldt-Jakob disease epidemic. *Science* 294:1729-1731.
- . 2003. The predictability of the epidemic of variant Creutzfeldt-Jakob disease by back-calculation methods. *Statistical Methods in Medical Research* 12:203-220.
- Das, P., and D. Mukherjee. 2006. Qualitative study of a model of Chagas' disease. *Mathematical and Computer Modelling* 43:413-422.
- Das, P., D. Mukherjee, and A. K. Sarkar. 2007. Effect of delay on the model of American cutaneous Leishmaniasis. *Journal of Biological Systems* 15:139-147.
- Das, T. K., A. A. Savachkin, and Y. Zhu. 2008. A large-scale simulation model of pandemic influenza outbreaks for development of dynamic mitigation strategies. *IIE Transactions* 40:893-905.
- Davey, V. J., and R. J. Glass. 2008. Rescinding community mitigation strategies in an influenza pandemic. *Emerging Infectious Diseases* 14:365-372.
- Davey, V. J., R. J. Glass, H. J. Min, W. E. Beyeler, and L. M. Glass. 2008. Effective, robust design of community mitigation for pandemic influenza: a systematic examination of proposed US guidance. *PLoS ONE*. 3:e2606.
- David, J. M., L. Andral, and M. Artois. 1982. Computer simulation model of the epi-enzootic disease of vulpine rabies. *Ecological Modelling* 15:107-125.
- Davis, S., M. Begon, L. De Bruyn, V. S. Ageyev, N. L. Klassovskiy, S. B. Pole, H. Viljugrein et al. 2004. Predictive thresholds for plague in Kazakhstan. *Science* 304:736-738.
- Davis, S., N. Klassovskiy, V. Ageyev, B. Suleimenov, B. Atshabar, A. Klassovskaya, M. Bennett et al. 2007a. Plague metapopulation dynamics in a natural reservoir: the burrow system as the unit of study. *Epidemiology and Infection* 135:740-748.

- Davis, S., H. Leirs, H. Viljugrein, N. C. Stenseth, L. De Bruyn, N. Klassovskiy, V. Ageyev et al. 2007b. Empirical assessment of a threshold model for sylvatic plague. *Journal of the Royal Society Interface* 4:649-657.
- Davis, S., P. Trapman, H. Leirs, M. Begon, and J. A. P. Heesterbeek. 2008. The abundance threshold for plague as a critical percolation phenomenon. *Nature* 454:634-637.
- Davis, S. A., and D. M. Gordon. 2002. The influence of host dynamics on the clonal composition of *Escherichia coli* populations. *Environ Microbiol* 4:306-313.
- Day, T., J. B. Andre, and A. Park. 2006. The evolutionary emergence of pandemic influenza. *Proceedings of the Royal Society B-Biological Sciences* 273:2945-2953.
- de Koeijer, A., H. Heesterbeek, B. Schreuder, R. Oberthür, J. Wilesmith, H. van Roermund, and M. de Jong. 2004. Quantifying BSE control by calculating the basic reproduction ratio  $R_0$  for the infection among cattle. *Journal of Mathematical Biology* 48:1-22.
- de Koeijer, A., B. Schreuder, and A. Bouma. 2002. Factors that influence the age distribution of BSE cases: potentials for age targeting in surveillance. *Livestock Production Science* 76:223-233.
- Deal, B., C. Farell, M. Lancaster, T. Kompare, and B. Hannon. 2000. A dynamic model of the spatial spread of an infectious disease: the case of fox rabies in Illinois. *Environmental Modeling and Assessment* 5:47-62.
- Debarre, F., S. Bonhoeffer, and R. R. Regoes. 2007. The effect of population structure on the emergence of drug resistance during influenza pandemics. *Journal of the Royal Society Interface* 4:893-906.
- deMoor, P. P., and F. E. Steffens. 1970. Computer-simulated model of an arthropod-borne virus transmission cycle, with special reference to chikungunya virus. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 64:927-934.
- Dietz, K., G. Raddatz, J. Wallis, N. Muller, I. Zerr, H. P. Duerr, H. Lefevre et al. 2007. Blood transfusion and spread of variant Creutzfeldt-Jakob disease. *Emerging Infectious Diseases* 13:89-96.
- Dimitrov, D. T., T. G. Hallam, C. E. Rupprecht, A. S. Turmelle, and G. F. McCracken. 2007. Integrative models of bat rabies immunology, epizootiology and disease demography. *Journal of Theoretical Biology* 245:498-509.
- Ding, G. H., C. Liu, J. Q. Gong, L. Wang, K. Cheng, and D. Zhang. 2004. SARS epidemical forecast research in mathematical model. *Chinese Science Bulletin* 49:2332-2338.
- Ding, W. 2007. Optimal control on hybrid ODE systems with application to a tick disease model. *Mathematical Biosciences and Engineering* 4:633-659.
- Dobson, A., and M. Meagher. 1996. The population dynamics of brucellosis in the Yellowstone National Park. *Ecology* 77:1026-1036.
- Donnelly, C. A. 2002. BSE in France: epidemiological analysis and predictions. *Comptes Rendus Biologies* 325:793-806.
- Donnelly, C. A., N. M. Ferguson, A. C. Ghani, and R. M. Anderson. 2002. Implications of BSE infection screening data for the scale of the British BSE epidemic and current European infection levels. *Proceedings of the Royal Society of London Series B-Biological Sciences* 269:2179-2190.
- Dopfer, D., L. Geue, J. de Bree, and M. C. M. de Jong. 2006. Dynamics of verotoxin-producing *Escherichia coli* isolated from German beef cattle between birth and slaughter. *Preventive Veterinary Medicine* 73:229-240.
- Drake, J. M., S. K. Chew, and S. Ma. 2006. Societal learning in epidemics: intervention effectiveness during the 2003 SARS outbreak in Singapore. *PLoS ONE* 1:e20.
- Duerr, H. P., S. O. Brockmann, I. Piechotowski, M. Schwehm, and M. Eichner. 2007a. Influenza pandemic intervention planning using InfluSim: pharmaceutical and non-pharmaceutical interventions. *BMC Infectious Diseases* 7.
- Duerr, H. P., M. Schwehm, C. C. Leary, S. J. De Vlas, and M. Eichner. 2007b. The impact of contact structure on infectious disease control: influenza and antiviral agents. *Epidemiol Infect* 135:1124-1132.
- Dumont, Y., F. Chiroleu, and C. Domerg. 2008. On a temporal model for the Chikungunya disease: modeling, theory and numerics. *Mathematical Biosciences* 213:80-91.

- Dye, C. 1988. The epidemiology of canine visceral leishmaniasis in southern France: classical theory offers another explanation of the data. *Parasitology* 96:19-24.
- . 1992. Leishmaniasis epidemiology: the theory catches up. *Parasitology* 104:S7-S18.
- . 1996. The logic of visceral leishmaniasis control. *American Journal of Tropical Medicine and Hygiene* 55:125-130.
- Dye, C., and C. R. Davies. 1990. Glasnost and the great gerbil: virulence polymorphisms in the epidemiology of leishmaniasis. *Trends in Ecology and Evolution* 5:237-238.
- Dye, C., R. Killick-Kendrick, M. M. Vitutia, R. Walton, M. Killick-Kendrick, A. E. Harith, M. W. Guy et al. 1992. Epidemiology of canine leishmaniasis: prevalence, incidence and basic reproduction number calculated from a cross-sectional serological survey on the island of Gozo, Malta. *Parasitology* 105:35-41.
- Eichner, M., M. Schwehm, H. P. Duerr, and S. O. Brockmann. 2007. The influenza pandemic preparedness planning tool Influsim. *BMC Infectious Diseases* 7.
- Eisinger, D., H. H. Thulke, T. Selhorst, and T. Muller. 2005. Emergency vaccination of rabies under limited resources - combating or containing? *BMC Infectious Diseases* 5.
- Elbakidze, L. 2008. Modeling of avian influenza mitigation policies within the backyard segment of the poultry sector. *Journal of Agricultural and Resource Economics* 33:195-211.
- Elrish, M. R. A., and E. H. Twizell. 2004. A second-order explicit scheme for the numerical solution of a fox-rabies model. *International Journal of Computer Mathematics* 81:1027-1038.
- England, T., L. Kelly, R. D. Jones, A. MacMillan, and M. Wooldridge. 2004. A simulation model of brucellosis spread in British cattle under several testing regimes. *Preventive Veterinary Medicine* 63:63-73.
- Epstein, J. M., D. M. Goedecke, F. Yu, R. J. Morris, D. K. Wagener, and G. V. Bobashev. 2007. Controlling pandemic flu: the value of international air travel restrictions. *PLoS ONE* 2:e401.
- Escudero, C., J. Buceta, F. J. de la Rubia, and K. Lindenberg. 2004. Effects of internal fluctuations on the spreading of Hantavirus. *Physical Review E* 70.
- Fang, H. P., J. X. Chen, J. Hu, and L. X. Xu. 2004. On the origin of the super-spreading events in the SARS epidemic. *Europhysics Letters* 68:147-152.
- Ferguson, N. M., D. A. T. Cummings, S. Cauchemez, C. Fraser, S. Riley, A. Meeyai, S. Iamsirithaworn et al. 2005. Strategies for containing an emerging influenza pandemic in Southeast Asia. *Nature* 437:209-214.
- Ferguson, N. M., D. A. T. Cummings, C. Fraser, J. C. Cajka, P. C. Cooley, and D. S. Burke. 2006. Strategies for mitigating an influenza pandemic. *Nature* 442:448-452.
- Ferguson, N. M., and C. A. Donnelly. 2003. Assessment of the risk posed by bovine spongiform encephalopathy in cattle in Great Britain and the impact of potential changes to current control measures. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270:1579-1584.
- Ferguson, N. M., C. A. Donnelly, M. E. J. Woolhouse, and R. M. Anderson. 1997. The epidemiology of BSE in cattle herds in Great Britain .2. Model construction and analysis of transmission dynamics. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 352:803-838.
- . 1999. Estimation of the basic reproduction number of BSE: the intensity of transmission in British cattle. *Proceedings of the Royal Society of London Series B-Biological Sciences* 266:23-32.
- Ferguson, N. M., C. Fraser, C. A. Donnelly, A. C. Ghani, and R. M. Anderson. 2004. Public health. Public health risk from the avian H5N1 influenza epidemic. *Science* 304:968-969.
- Ferguson, N. M., A. P. Galvani, and R. M. Bush. 2003. Ecological and immunological determinants of influenza evolution. *Nature* 422:428-433.
- Ferguson, N. M., A. C. Ghani, C. A. Donnelly, G. O. Denny, and R. M. Anderson. 1998. BSE in Northern Ireland: epidemiological patterns past, present and future. *Proceedings of the Royal Society of London Series B-Biological Sciences* 265:545-554.

- Ferguson, N. M., A. C. Ghani, C. A. Donnelly, T. J. Hagenaars, and R. M. Anderson. 2002. Estimating the human health risk from possible BSE infection of the British sheep flock. *Nature* 415:420-424.
- Fine, P. E. M., Z. Jezek, B. Grab, and H. Dixon. 1988. The transmission potential of monkeypox virus in human populations. *International Journal of Epidemiology* 17:643-650.
- Fischer, E. A. J., H. J. W. van Roermund, L. Hemerik, M. van Asseldonk, and M. C. M. de Jong. 2005. Evaluation of surveillance strategies for bovine tuberculosis (*Mycobacterium bovis*) using an individual based epidemiological model. *Preventive Veterinary Medicine* 67:283-301.
- Flahault, A., E. Vergu, L. Coudeville, and R. F. Grais. 2006. Strategies for containing a global influenza pandemic. *Vaccine* 24:6751-6755.
- Foley, J. E., J. Zipser, B. Chomel, E. Girvetz, and P. Foley. 2007. Modeling plague persistence in host-vector communities in California. *Journal of Wildlife Diseases* 43:408-424.
- Foppa, I. M. 2005. The basic reproductive number of tick-borne encephalitis virus - An empirical approach. *Journal of Mathematical Biology* 51:616-628.
- Fowler, A. C. 2000. The effect of incubation time distribution on the extinction characteristics of a rabies epizootic. *Bulletin of Mathematical Biology* 62:633-655.
- Frerichs, R. R., and J. Prawda. 1975. Computer-simulation model for the control of rabies in an urban area of Colombia. *Management Science* 22:411-421.
- Fryer, H. R., M. Baylis, K. Sivam, and A. R. McLean. 2007. Quantifying the risk from ovine BSE and the impact of control strategies. *Proceedings of the Royal Society B-Biological Sciences* 274:1497-1503.
- Fukutome, A., K. Watashi, N. Kawakami, and H. Ishikawa. 2007. Mathematical modeling of severe acute respiratory syndrome nosocomial transmission in Japan: The dynamics of incident cases and prevalent cases. *Microbiology and Immunology* 51:823-832.
- Fulford, G. R., M. G. Roberts, and J. A. P. Heesterbeek. 2002. The metapopulation dynamics of an infectious disease: Tuberculosis in possums. *Theoretical Population Biology* 61:15-29.
- Furniss, P. R., and B. D. Hahn. 1981. A mathematical model of an anthrax epizootic in the Kruger National Park. *Applied Mathematical Modelling* 5:130-136.
- Gaff, H. D., and L. J. Gross. 2007. Modeling tick-borne disease: A metapopulation model. *Bulletin of Mathematical Biology* 69:265-288.
- Galvani, A. P., T. C. Reluga, and G. B. Chapman. 2007. Long-standing influenza vaccination policy is in accord with individual self-interest but not with the utilitarian optimum. *Proceedings of the National Academy of Sciences of the United States of America* 104:5692-5697.
- Gani, R., H. Hughes, D. Fleming, T. Griffin, J. Medlock, and S. Leach. 2005. Potential impact of antiviral drug use during influenza pandemic. *Emerging Infectious Diseases* 11:1355-1362.
- Gani, R., and S. Leach. 2004. Epidemiologic determinants for modeling pneumonic plague outbreaks. *Emerging Infectious Diseases* 10:608-614.
- Gardam, M., D. Liang, S. M. Moghadas, J. H. Wu, Q. L. Zeng, and H. P. Zhu. 2007. The impact of prophylaxis of healthcare workers on influenza pandemic burden. *Journal of the Royal Society Interface* 4:727-734.
- Gardner, G. A., L. R. T. Gardner, and J. Cunningham. 1990. Simulations of a fox-rabies epidemic on an island using space-time finite-elements. *Zeitschrift Fur Naturforschung C-A Journal of Biosciences* 45:1230-1240.
- Garnerin, P., S. Hazout, and A. J. Valleron. 1986. Estimation of two epidemiological parameters of fox rabies: the length of incubation period and the dispersion distance of cubs. *Ecological Modelling* 33:123-135.
- Garnick, E. 1992. Miche breadth in parasites: an evolutionarily stable strategy model, with special reference to the protozoan parasite *Leishmania*. *Theoretical Population Biology* 42:62-103.
- Garske, T., P. Clarke, and A. C. Ghani. 2007. The transmissibility of highly pathogenic avian influenza in commercial poultry in industrialised countries. *PLoS ONE* 2:e349.

- Garske, T., H. J. T. Ward, P. Clarke, R. G. Will, and A. C. Ghani. 2006. Factors determining the potential for onward transmission of variant Creutzfeldt-Jakob disease via surgical instruments. *Journal of the Royal Society Interface* 3:757-766.
- Geenen, P. L., D. Dopfer, J. Van der Meulen, and M. C. M. De Jong. 2005. Transmission of F4+ E. coli in groups of early weaned piglets. *Epidemiology and Infection* 133:459-468.
- Geenen, P. L., J. Van der Meulen, A. Bouma, and M. C. M. De Jong. 2004. Estimating transmission parameters of F4+ E-coli for F4-receptor-positive and -negative piglets: one-to-one transmission experiment. *Epidemiology and Infection* 132:1039-1048.
- Germann, T. C., K. Kadau, I. M. Longini, and C. A. Macken. 2006. Mitigation strategies for pandemic influenza in the United States. *Proceedings of the National Academy of Sciences of the United States of America* 103:5935-5940.
- Ghani, A. C., C. A. Donnelly, N. M. Ferguson, and R. M. Anderson. 2000. Assessment of the prevalence of vCJD through testing tonsils and appendices for abnormal prion protein. *Proceedings of the Royal Society of London Series B-Biological Sciences* 267:23-29.
- . 2003a. Updated projections of future vCJD deaths in the UK. *BMC Infectious Diseases* 3.
- Ghani, A. C., N. M. Ferguson, C. A. Donnelly, and R. M. Anderson. 2003b. Short-term projections for variant Creutzfeldt-Jakob disease onsets. *Statistical Methods in Medical Research* 12:191-201.
- Ghani, A. C., N. M. Ferguson, C. A. Donnelly, T. J. Hagenaars, and R. M. Anderson. 1998. Epidemiological determinants of the pattern and magnitude of the vCJD epidemic in Great Britain. *Proceedings of the Royal Society of London Series B-Biological Sciences* 265:2443-2452.
- Ghosh, A. K., and P. K. Tapaswi. 1999. Dynamics of Japanese encephalitis - A study in mathematical epidemiology. *IMA Journal of Mathematics Applied in Medicine and Biology* 16:1-27.
- Ghosh, M., and A. Pugliese. 2004. Seasonal population dynamics of ticks, and its influence on infection transmission: a semi-discrete approach. *Bull Math Biol* 66:1659-1684.
- Gilbert, L., R. Norman, K. M. Laurenson, H. W. Reid, and P. J. Hudson. 2001. Disease persistence and apparent competition in a three-host community: an empirical and analytical study of large-scale, wild populations. *Journal of Animal Ecology* 70:1053-1061.
- Ginsberg, H. S. 1988. A Model of the Spread of Lyme Disease in Natural Populations. *Annals of the New York Academy of Sciences* 539:379-380.
- . 1993. Transmission risk of Lyme disease and implications for tick management. *American Journal of Epidemiology* 138:65-73.
- Gjorgjieva, J., K. Smith, G. Chowell, F. Sanchez, J. Snyder, and C. Castillo-Chavez. 2005. The role of vaccination in the control of SARS. *Mathematical Biosciences and Engineering* 2:753-769.
- Glass, K. 2005. Ecological mechanisms that promote arbovirus survival: a mathematical model of Ross River virus transmission. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 99:252-260.
- Glass, K., and B. Barnes. 2007. How much would closing schools reduce transmission during an influenza pandemic? *Epidemiology* 18:623-628.
- Glass, K., and N. G. Becker. 2006. Evaluation of measures to reduce international spread of SARS. *Epidemiology and Infection* 134:1092-1101.
- Glass, R. J., L. M. Glass, W. E. Beyeler, and H. J. Min. 2006. Targeted social distancing design for pandemic influenza. *Emerging Infectious Diseases* 12:1671-1681.
- Goldfarb, L. G., M. P. Chumakov, A. A. Myskin, V. F. Kondratenko, and O. Y. Reznikova. 1980. An epidemiological model of Crimean hemorrhagic fever. *American Journal of Tropical Medicine and Hygiene* 29:260-264.
- Gonzalez-Guzman, J., and R. Naulin. 1994. Analysis of a model of bovine brucellosis using singular perturbations. *Journal of Mathematical Biology* 33:211-223.
- Grais, R. F., J. H. Ellis, and G. E. Glass. 2003. Assessing the impact of airline travel on the geographic spread of pandemic influenza. *European Journal of Epidemiology* 18:1065-1072.

- Green, D. M., I. Z. Kiss, A. P. Mitchell, and R. R. Kao. 2008. Estimates for local and movement-based transmission of bovine tuberculosis in British cattle. *Proceedings of the Royal Society B-Biological Sciences* 275:1001-1005.
- Guan, Y., H. Chen, K. S. Li, S. Riley, G. M. Leung, R. Webster, J. S. M. Peiris et al. 2007. A model to control the epidemic of H5N1 influenza at the source. *BMC Infectious Diseases* 7.
- Guberti, V., M. Scremin, L. Busani, L. Bonfanti, and C. Terregino. 2007. A simulation model for low-pathogenicity avian influenza viruses in dabbling ducks in Europe. *Avian Diseases* 51:275-278.
- Gumel, A. B., C. C. McCluskey, and J. Watmough. 2006. An SVEIR model for assessing potential impact of an imperfect anti-SARS vaccine. *Mathematical Biosciences and Engineering* 3:485-512.
- Gumel, A. B., M. Nuno, and G. Chowell. 2008. Mathematical assessment of Canada's pandemic influenza preparedness plan. *Canadian Journal of Infectious Diseases and Medical Microbiology* 19:185-192.
- Gumel, A. B., S. G. Ruan, T. Day, J. Watmough, F. Brauer, P. van den Driessche, D. Gabrielson et al. 2004. Modelling strategies for controlling SARS outbreaks. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271:2223-2232.
- Haber, M. J., D. K. Shay, X. H. M. Davis, R. Patel, X. P. Jin, E. Weintraub, E. Orenstein et al. 2007. Effectiveness of interventions to reduce contact rates during a simulated influenza pandemic. *Emerging Infectious Diseases* 13:581-589.
- Habtemariam, T., B. Tameru, D. Nganwa, L. Ayanwale, A. Ahmed, D. Oryang, H. AbdelRahman et al. 2002. Application of systems analysis in modelling the risk of bovine spongiform encephalopathy (BSE). *Kybernetes* 31:1380-1390.
- Hagenaars, T. J., N. M. Ferguson, C. A. Donnelly, A. C. Ghani, and R. M. Anderson. 2000. Feed-borne transmission and case clustering of BSE. *Proceedings of the Royal Society of London Series B-Biological Sciences* 267:205-215.
- Hahn, B. D., and P. R. Furniss. 1983. A deterministic model of an anthrax epizootic - threshold results. *Ecological Modelling* 20:233-241.
- Hall, I. M., R. Gani, H. E. Hughes, and S. Leach. 2007. Real-time epidemic forecasting for pandemic influenza. *Epidemiology and Infection* 135:372-385.
- Halloran, M. E., N. M. Ferguson, S. Eubank, I. M. Longini, D. A. T. Cummings, B. Lewis, S. F. Xu et al. 2008. Modeling targeted layered containment of an influenza pandemic in the United States. *Proceedings of the National Academy of Sciences of the United States of America* 105:4639-4644.
- Hampson, K., J. Dushoff, J. Bingham, G. Bruckner, Y. H. Ali, and A. Dobson. 2007. Synchronous cycles of domestic dog rabies in sub-Saharan Africa and the impact of control efforts. *Proceedings of the National Academy of Sciences of the United States of America* 104:7717-7722.
- Hartemink, N. A., S. A. Davis, P. Reiter, Z. Hubalek, and J. A. P. Heesterbeek. 2007. Importance of bird-to-bird transmission for the establishment of West Nile virus. *Vector-Borne and Zoonotic Diseases* 7:575-584.
- Hartemink, N. A., S. E. Randolph, S. A. Davis, and J. A. Heesterbeek. 2008. The basic reproduction number for complex disease systems: defining  $R(0)$  for tick-borne infections. *American Naturalist* 171:743-754.
- Hartnett, E., L. Kelly, D. Newell, M. Wooldridge, and G. Gettinby. 2001. A quantitative risk assessment for the occurrence of *Campylobacter* in chickens at the point of slaughter. *Epidemiol Infect* 127:195-206.
- Hasibeder, G., C. Dye, and J. Carpenter. 1992. Mathematical modeling and theory for estimating the basic reproduction number of canine leishmaniasis. *Parasitology* 105:43-53.
- Haydon, D. T., D. A. Randall, L. Matthews, D. L. Knobel, L. A. Tallents, M. B. Gravenor, S. D. Williams et al. 2006. Low-coverage vaccination strategies for the conservation of endangered species. *Nature* 443:692-695.

- Holt, J., S. Davis, and H. Leirs. 2006. A model of Leptospirosis infection in an African rodent to determine risk to humans: Seasonal fluctuations and the impact of rodent control. *Acta Tropica* 99:218-225.
- Hsieh, Y. H., C. W. S. Chen, and S. B. Hsu. 2004a. SARS outbreak, Taiwan, 2003. *Emerging Infectious Diseases* 10:201-206.
- Hsieh, Y. H., C. C. King, C. W. S. Chen, M. S. Ho, S. B. Hsu, and Y. C. Wu. 2007. Impact of quarantine on the 2003 SARS outbreak: A retrospective modeling study. *Journal of Theoretical Biology* 244:729-736.
- Hsieh, Y. H., J. Y. Lee, and H. L. Chang. 2004b. SARS epidemiology modeling. *Emerging Infectious Diseases* 10:1165-1167.
- Hsu, S. B., and Y. H. Hsieh. 2006. Modeling intervention measures and severity-dependent public response during severe acute respiratory syndrome outbreak. *SIAM Journal on Applied Mathematics* 66:627-647.
- Hsu, S. B., and L. I. W. Roeger. 2007. The final size of a SARS epidemic model without quarantine. *Journal of Mathematical Analysis and Applications* 333:557-566.
- Huang, C. Y., C. T. Sun, J. L. Hsieh, and H. Lin. 2004. Simulating SARS: Small-world epidemiological modeling and public health policy assessments. *Journal of Artificial Societies and Social Simulation* 7.
- Hudson, P. J., R. Norman, M. K. Laurenson, D. Newborn, M. Gaunt, L. Jones, H. Reid et al. 1995. Persistence and transmission of tick-borne viruses: *Ixodes ricinus* and louping-ill virus in red grouse populations. *Parasitology* 111:S49-S58.
- Inaba, H., and H. Sekine. 2004. A mathematical model for Chagas disease with infection-age-dependent infectivity. *Mathematical Biosciences* 190:39-69.
- Ivanek, R., E. L. Snary, A. J. Cook, and Y. T. Grohn. 2004. A mathematical model for the transmission of *Salmonella Typhimurium* within a grower-finisher pig herd in Great Britain. *Journal of Food Protection* 67:2403-2409.
- Iwami, S., Y. Takeuchi, A. Korobeinikov, and X. N. Liu. 2008. Prevention of avian influenza epidemic: What policy should we choose? *Journal of Theoretical Biology* 252:732-741.
- Iwami, S., Y. Takeuchi, and X. N. Liu. 2007. Avian-human influenza epidemic model. *Mathematical Biosciences* 207:1-25.
- Jacob, C., and P. Magal. 2007. Influence of routine slaughtering on the evolution of BSE: Example of British and French slaughterings. *Risk Analysis* 27:1151-1167.
- Jeltsch, F., M. S. Muller, V. Grimm, C. Wissel, and R. Brandl. 1997. Pattern formation triggered by rare events: lessons from the spread of rabies. *Proceedings of the Royal Society of London Series B-Biological Sciences* 264:495-503.
- Jezek, Z., B. Grab, and H. Dixon. 1987. Stochastic model for interhuman spread of monkeypox. *American Journal of Epidemiology* 126:1082-1092.
- Jiang, C. 2007. Optimal control of SARS epidemics based on cybernetics. *International Journal of Systems Science* 38:451-457.
- Jones, J. E., S. J. Walker, J. P. Sutherland, M. W. Peck, and C. L. Little. 1994. Mathematical modeling of growth, survival and death of *Yersinia enterocolitica*. *International Journal of Food Microbiology* 23:433-447.
- Jordan, D., S. A. McEwen, A. M. Lammerding, W. B. McNab, and J. B. Wilson. 1999a. Pre-slaughter control of *Escherichia coli* O157 in beef cattle: a simulation study. *Preventive Veterinary Medicine* 41:55-74.
- . 1999b. A simulation model for studying the role of pre-slaughter factors on the exposure of beef carcasses to human microbial hazards. *Preventive Veterinary Medicine* 41:37-54.
- Kallen, A. 1984. Thresholds and travelling waves in an epidemic model for rabies. *Nonlinear Analysis, Theory Methods and Applications* 8:851-856.
- Kallen, A., P. Arcuri, and J. D. Murray. 1985. A simple model for the spatial spread and control of rabies. *Journal of Theoretical Biology* 116:377-393.

- Kao, R. R., M. B. Gravenor, M. Baylis, C. J. Bostock, C. M. Chihota, J. C. Evans, W. Goldmann et al. 2002. The potential size and duration of an epidemic of bovine spongiform encephalopathy in British sheep. *Science* 295:332-335.
- Kao, R. R., and M. G. Roberts. 1999. A comparison of wildlife control and cattle vaccination as methods for the control of bovine tuberculosis. *Epidemiology and Infection* 122:505-519.
- Kausrud, K. L., H. Viljugrein, A. Frigessi, M. Begon, S. Davis, H. Leirs, V. Dubyanskiy et al. 2007. Climatically driven synchrony of gerbil populations allows large-scale plague outbreaks. *Proceedings of the Royal Society B-Biological Sciences* 274:1963-1969.
- Kay, B. H., A. J. Saul, and A. McCullagh. 1987. A mathematical model for the rural amplification of Murray Valley encephalitis virus in southern Australia. *American Journal of Epidemiology* 125:690-705.
- Kean, J. M., N. D. Barlow, and G. J. Hickling. 1999. Evaluating potential sources of bovine tuberculosis infection in a New Zealand cattle herd. *New Zealand Journal of Agricultural Research* 42:101-106.
- Keeling, M. J., and C. A. Gilligan. 2000a. Bubonic plague: a metapopulation model of a zoonosis. *Proceedings of the Royal Society of London Series B-Biological Sciences* 267:2219-2230.
- . 2000b. Metapopulation dynamics of bubonic plague. *Nature* 407:903-906.
- Kenkre, V. M. 2005. Statistical mechanical considerations in the theory of the spread of the hantavirus. *Physica A-Statistical Mechanics and Its Applications* 356:121-126.
- Kenkre, V. M., L. Giuggioli, G. Abramson, and G. Camelo-Neto. 2007. Theory of hantavirus infection spread incorporating localized adult and itinerant juvenile mice. *European Physical Journal B* 55:461-470.
- Kenkre, V. M., R. R. Parmenter, L. D. Peixoto, and L. Sadasiv. 2005. A theoretical framework for the analysis of the West Nile virus epidemic. *Mathematical and Computer Modelling* 42:313-324.
- Kerneis, S., R. F. Grais, P. Y. Boelle, A. Flahault, and E. Vergu. 2008. Does the effectiveness of control measures depend on the influenza pandemic profile? *PLoS ONE* 3:e1478.
- Kerr, S. F., W. E. Grant, and N. O. Dronen. 1997. A simulation model of the infection cycle of *Leishmania mexicana* in *Neotoma micropus*. *Ecological Modelling* 98:187-197.
- Khan, K., P. Muennig, M. Gardam, and J. G. Zivin. 2005. Managing febrile respiratory illnesses during a hypothetical SARS outbreak. *Emerging Infectious Diseases* 11:191-200.
- Knobel, D. L., S. Cleaveland, P. G. Coleman, E. M. Fevre, M. I. Meltzer, M. E. G. Miranda, A. Shaw et al. 2005. Re-evaluating the burden of rabies in Africa and Asia. *Bulletin of the World Health Organization* 83:360-368.
- Krieter, J. 2004. Evaluation of *Salmonella* surveillance in pigs using a stochastic simulation model. *Archiv fur Tierzucht* 47:337-349.
- Kwok, K. O., G. M. Leung, W. Y. Lam, and S. Riley. 2007. Using models to identify routes of nosocomial infection: a large hospital outbreak of SARS in Hong Kong. *Proceedings of the Royal Society B-Biological Sciences* 274:611-618.
- Laegreid, W. W., and J. E. Keen. 2004. Estimation of the basic reproduction ratio ( $R_0$ ) for Shiga toxin-producing *Escherichia coli* O157 : H7 (STEC O157) in beef calves. *Epidemiology and Infection* 132:291-295.
- Langlais, M., and C. Suppo. 2000. A remark on a generic SEIRS model and application to cat retroviruses and fox rabies. *Mathematical and Computer Modelling* 31:117-124.
- Larsen, S. O., and M. Lebech. 1994. Models for prediction of the frequency of toxoplasmosis in pregnancy in situations of changing infection rates. *International Journal of Epidemiology* 23:1309-1314.
- Larson, R. C. 2007. Simple models of influenza progression within a heterogeneous population. *Operations Research* 55:399-412.
- Laurenson, M. K., R. Norman, H. W. Reid, I. Pow, D. Newborn, and P. J. Hudson. 2000. The role of lambs in louping-ill virus amplification. *Parasitology* 120:97-104.

- Laurensen, M. K., R. A. Norman, L. Gilbert, H. W. Reid, and P. J. Hudson. 2003. Identifying disease reservoirs in complex systems: mountain hares as reservoirs of ticks and louping-ill virus, pathogens of red grouse. *Journal of Animal Ecology* 72:177-185.
- Le Menach, A., E. Vergu, R. F. Grais, D. L. Smith, and A. Flahault. 2006. Key strategies for reducing spread of avian influenza among commercial poultry holdings: lessons for transmission to humans. *Proceedings of the Royal Society B-Biological Sciences* 273:2467-2475.
- Lee, V. J., and M. I. Chen. 2007. Effectiveness of neuraminidase inhibitors for preventing staff absenteeism during pandemic influenza. *Emerging Infectious Diseases* 13:449-457.
- Legrand, J., R. F. Grais, P. Y. Boelle, A. J. Valleron, and A. Flahault. 2007. Understanding the dynamics of Ebola epidemics. *Epidemiology and Infection* 135:610-621.
- Lekone, P. E., and B. F. Finkenstadt. 2006. Statistical inference in a stochastic epidemic SEIR model with control intervention: Ebola as a case study. *Biometrics* 62:1170-1177.
- Lessler, J., D. A. T. Cummings, S. Fishman, A. Vora, and D. S. Burke. 2007. Transmissibility of swine flu at Fort Dix, 1976. *Journal of the Royal Society Interface* 4:755-762.
- Lewis, M., J. Renclawowicz, and P. Van den Driessche. 2006a. Traveling waves and spread rates for a West Nile virus model. *Bulletin of Mathematical Biology* 68:3-23.
- Lewis, M. A., J. Renclawowicz, P. van den Driessche, and M. Wonham. 2006b. A comparison of continuous and discrete-time West Nile virus models. *Bulletin of Mathematical Biology* 68:491-509.
- Li, Y., S. Duan, I. T. S. Yu, and T. W. Wong. 2004a. Multi-zone modeling of probable SARS virus transmission by airflow between flats in Block E, Amoy Gardens. *Indoor Air* 15:96-111.
- Li, Y., X. Huang, I. T. S. Yu, T. W. Wong, and H. Qian. 2004b. Role of air distribution in SARS transmission during the largest nosocomial outbreak in Hong Kong. *Indoor Air* 15:83-95.
- Li, Y. G., I. T. S. Yu, P. C. Xu, J. H. W. Lee, T. W. Wong, P. L. Ooi, and A. C. Sleigh. 2004c. Predicting super spreading events during the 2003 severe acute respiratory syndrome epidemics in Hong Kong and Singapore. *American Journal of Epidemiology* 160:719-728.
- Lindgren, E. 1998. Climate change, tick-borne encephalitis and vaccination needs in Sweden - a prediction model. *Ecological Modelling* 110:55-63.
- Lipsitch, M., T. Cohen, B. Cooper, J. M. Robins, S. Ma, L. James, G. Gopalakrishna et al. 2003. Transmission dynamics and control of severe acute respiratory syndrome. *Science* 300:1966-1970.
- Lipsitch, M., T. Cohen, M. Murray, and B. R. Levin. 2007. Antiviral resistance and the control of pandemic influenza. *PLoS Medicine* 4:111-121.
- Liu, R. S., J. P. Shuai, J. H. Wu, and H. P. Zhu. 2006. Modeling spatial spread of West Nile virus and impact of directional dispersal of birds. *Mathematical Biosciences and Engineering* 3:145-160.
- Liu, W. C., C. Jenkins, D. J. Shaw, L. Matthews, M. C. Pearce, J. C. Low, G. J. Gunn et al. 2005. Modelling the epidemiology of Verocytotoxin-producing *Escherichia coli* serogroups in young calves. *Epidemiology and Infection* 133:449-458.
- Liu, W. C., L. Matthews, M. Chase-Topping, N. J. Savill, D. J. Shaw, and M. E. J. Woolhouse. 2007a. Metapopulation dynamics of *Escherichia coli* O157 in cattle: an exploratory model. *Journal of the Royal Society Interface* 4:917-924.
- Liu, W. C., D. J. Shaw, L. Matthews, D. V. Hoyle, M. C. Pearce, C. M. Yates, J. C. Low et al. 2007b. Modelling the epidemiology and transmission of Verocytotoxin-producing *Escherichia coli* serogroups O26 and O103 in two different calf cohorts. *Epidemiology and Infection* 135:1316-1323.
- Lloyd-Smith, J. O., A. P. Galvani, and W. M. Getz. 2003. Curtailing transmission of severe acute respiratory syndrome within a community and its hospital. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270:1979-1989.
- Longini, I. M., M. E. Halloran, A. Nizam, and Y. Yang. 2004. Containing pandemic influenza with antiviral agents. *American Journal of Epidemiology* 159:623-633.

- Longini, I. M., A. Nizam, S. F. Xu, K. Ungchusak, W. Hanshaoworakul, D. A. T. Cummings, and M. E. Halloran. 2005. Containing pandemic influenza at the source. *Science* 309:1083-1087.
- Lord, C. C., and J. F. Day. 2001a. Simulation studies of St. Louis encephalitis virus in south Florida. *Vector Borne and Zoonotic Diseases* 1:299-315.
- . 2001b. Simulation studies of St. Louis encephalitis virus and West Nile virus. *Vector Borne and Zoonotic Diseases* 1:317-329.
- Mannelli, A., L. Busani, M. Tosoni, S. Bertolini, and S. Marangon. 2007. Transmission parameters of highly pathogenic avian influenza (H7N1) among industrial poultry farms in northern Italy in 1999-2000. *Preventive Veterinary Medicine* 81:318-322.
- Massad, E., M. N. Burattini, F. A. B. Coutinho, and L. F. Lopez. 2007. The 1918 influenza A epidemic in the city of Sao Paulo, Brazil. *Medical Hypotheses* 68:442-445.
- Massad, E., M. N. Burattini, L. F. Lopez, and F. A. B. Coutinho. 2005. Forecasting versus projection models in epidemiology: The case of the SARS epidemics. *Medical Hypotheses* 65:17-22.
- Massad, E., F. A. Coutinho, M. N. Burattini, and L. F. Lopez. 2001a. The risk of yellow fever in a dengue-infested area. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 95:370-374.
- Massad, E., F. A. B. Coutinho, M. N. Burattini, P. C. Sallum, and L. F. Lopez. 2001b. A mixed ectoparasite-microparasite model for bat-transmitted rabies. *Theoretical Population Biology* 60:265-279.
- Massad, E., S. Ma, M. N. Burattini, Y. Tun, F. A. Coutinho, and L. W. Ang. 2008. The risk of chikungunya fever in a dengue-endemic area. *Journal of Travel Medicine* 15:147-155.
- Masuda, N., N. Konno, and K. Aihara. 2004. Transmission of severe acute respiratory syndrome in dynamical small-world networks. *Physical Review E* 69.
- Mateus-Pinilla, N. E., B. Hannon, and R. M. Weigel. 2002. A computer simulation of the prevention of the transmission of *Toxoplasma gondii* on swine farms using a feline T-gondii vaccine. *Preventive Veterinary Medicine* 55:17-36.
- Mathews, F., D. W. Macdonald, G. M. Taylor, M. Gelling, R. A. Norman, P. E. Honess, R. Foster et al. 2006. Bovine tuberculosis (*Mycobacterium bovis*) in British farmland wildlife: the importance to agriculture. *Proceedings of the Royal Society B-Biological Sciences* 273:357-365.
- Mathews, J. D., C. T. McCaw, J. McVernon, E. S. McBryde, and J. M. McCaw. 2007. A biological model for influenza transmission: pandemic planning implications of asymptomatic infection and immunity. *PLoS ONE* 2:e1220.
- Matthews, L., J. C. Low, D. L. Gally, M. C. Pearce, D. J. Mellor, J. A. P. Heesterbeek, M. Chase-Topping et al. 2006a. Heterogeneous shedding of *Escherichia coli* O157 in cattle and its implications for control. *Proceedings of the National Academy of Sciences of the United States of America* 103:547-552.
- Matthews, L., I. J. McKendrick, H. Ternent, G. J. Gunn, B. Synge, and M. E. J. Woolhouse. 2006b. Super-shedding cattle and the transmission dynamics of *Escherichia coli* O157. *Epidemiology and Infection* 134:131-142.
- McBryde, E. S., G. Gibson, A. N. Pettitt, Y. Zhang, B. Zhao, and D. L. S. McElwain. 2006. Bayesian modelling of an epidemic of severe acute respiratory syndrome. *Bulletin of Mathematical Biology* 68:889-917.
- McCarty, C. W., and M. W. Miller. 1998. A versatile model of disease transmission applied to forecasting bovine tuberculosis dynamics in white-tailed deer populations. *Journal of Wildlife Diseases* 34:722-730.
- McCaw, J. M., and J. McVernon. 2007. Prophylaxis or treatment? Optimal use of an antiviral stockpile during an influenza pandemic. *Mathematical Biosciences* 209:336-360.
- McCaw, J. M., J. G. Wood, C. T. McCaw, and J. McVernon. 2008. Impact of emerging antiviral drug resistance on influenza containment and spread: influence of subclinical infection and strategic use of a stockpile containing one or two drugs. *PLoS ONE* 3:e2362.

- McLeod, R. G., J. F. Brewster, A. B. Gumel, and D. A. Slonowsky. 2006. Sensitivity and uncertainty analyses for a SARS model with time-varying inputs and outputs. Mathematical Biosciences and Engineering 3:527-544.
- Meyers, L. A., B. Pourbohloul, M. E. J. Newman, D. M. Skowronski, and R. C. Brunham. 2005. Network theory and SARS: predicting outbreak diversity. Journal of Theoretical Biology 232:71-81.
- Miller, G., S. Randolph, and J. E. Patterson. 2008. Responding to simulated pandemic influenza in San Antonio, Texas. Infection Control and Hospital Epidemiology 29:320-326.
- Mills, C. E., J. M. Robins, C. T. Bergstrom, and M. Lipsitch. 2006. Pandemic influenza: risk of multiple introductions and the need to prepare for them. PLoS Medicine 3:e135.
- Mills, C. E., J. M. Robins, and M. Lipsitch. 2004. Transmissibility of 1918 pandemic influenza. Nature 432:904-906.
- Moghadas, S. M., C. S. Bowman, G. Rost, and J. Wu. 2008. Population-wide emergence of antiviral resistance during pandemic influenza. PLoS ONE 3:e1839.
- Morley, R. S., S. Chen, and N. Rheault. 2003. Assessment of the risk factors related to bovine spongiform encephalopathy. Revue Scientifique Et Technique De L Office International Des Epizooties 22:157-178.
- Mount, G. A., D. G. Haile, and E. Daniels. 1997a. Simulation of blacklegged tick (Acari:Ixodidae) population dynamics and transmission of *Borrelia burgdorferi*. Journal of Medical Entomology 34:461-484.
- . 1997b. Simulation of management strategies for the blacklegged tick (Acari: Ixodidae) and the Lyme disease spirochete, *Borrelia burgdorferi*. Journal of Medical Entomology 34:672-683.
- Mukhopadhyay, B. B. and P. K. Tapaswi. 1994. A SIRS epidemic model of Japanese encephalitis. International Journal of Mathematics and Mathematical Sciences 17:347-355.
- Murray, J. D., and W. L. Seward. 1992. On the spatial spread of rabies among foxes with immunity. Journal of Theoretical Biology 156:327-348.
- Murray, J. D., E. A. Stanley, and D. L. Brown. 1986. On the spatial spread of rabies among foxes. Proceedings of the Royal Society of London Series B-Biological Sciences 229:111-150.
- Mylius, S. D., T. J. Hagenars, A. K. Lugner, and J. Wallinga. 2008. Optimal allocation of pandemic influenza vaccine depends on age, risk and timing. Vaccine 26:3742-3749.
- Naoi, K., and A. Yano. 2002. A theoretical analysis of the relations between the risk of congenital toxoplasmosis and the annual infection rates with a convincing argument for better public intervention. Parasitology International 51:187-194.
- Nauta, M. J., W. F. Jacobs-Reitsma, and A. H. Havelaar. 2007. A risk assessment model for *Campylobacter* in broiler meat. Risk Analysis 27:845-861.
- Nauta, M. J., A. W. Van de Giessen, and A. M. Henken. 2000. A model for evaluating intervention strategies to control salmonella in the poultry meat production chain. Epidemiology and Infection 124:365-373.
- Ng, T. W., G. Turinici, and A. Danchin. 2003. A double epidemic model for the SARS propagation. BMC Infectious Diseases 3.
- Nielsen, L. R., B. van den Borne, and G. van Schaik. 2007. *Salmonella Dublin* infection in young dairy calves: transmission parameters estimated from field data and an SIR-model. Preventive Veterinary Medicine 79:46-58.
- Nishiura, H., T. Kuratsuji, T. Quy, N. C. Phi, V. Van Ban, L. D. Ha, H. T. Long et al. 2005. Rapid awareness and transmission of severe acute respiratory syndrome in Hanoi French Hospital, Vietnam. American Journal of Tropical Medicine and Hygiene 73:17-25.
- Nishiura, H., K. Patanarapeelert, M. Sriprrom, W. Sarakorn, S. Sriyab, and I. M. Tang. 2004. Modelling potential responses to severe acute respiratory syndrome in Japan: the role of initial attack size, precaution, and quarantine. Journal of Epidemiology and Community Health 58:186-191.
- Nishiura, H., M. Schwehm, M. Kakehashi, and M. Eichner. 2006. Transmission potential of primary pneumonic plague: time inhomogeneous evaluation based on historical documents of the transmission network. Journal of Epidemiology and Community Health 60:640-645.

- Noble, J. V. 1974. Geographic and temporal development of plagues. *Nature* 250:726-728.
- Norman, R., R. G. Bowers, M. Begon, and P. J. Hudson. 1999. Persistence of tick-borne virus in the presence of multiple host species: Tick reservoirs and parasite mediated competition. *Journal of Theoretical Biology* 200:111-118.
- Norman, R., D. Ross, M. K. Laurenson, and P. J. Hudson. 2004. The role of non-viraemic transmission on the persistence and dynamics of a tick borne virus - Louping ill in red grouse (*Lagopus lagopus scoticus*) and mountain hares (*Lepus timidus*). *Journal of Mathematical Biology* 48:119-134.
- Nuno, M., G. Chowell, and A. B. Gumel. 2007. Assessing the role of basic control measures, antivirals and vaccine in curtailing pandemic influenza: scenarios for the US, UK and the Netherlands. *Journal of the Royal Society Interface* 4:505-521.
- Nuno, M., T. A. Reichert, G. Chowell, and A. B. Gumel. 2008. Protecting residential care facilities from pandemic influenza. *Proceedings of the National Academy of Sciences of the United States of America* 105:10625-10630.
- Ogden, N. H., M. Bigras-Poulin, J. O'Callaghan C, I. K. Barker, K. Kurtenbach, L. R. Lindsay, and D. F. Charron. 2007. Vector seasonality, host infection dynamics and fitness of pathogens transmitted by the tick *Ixodes scapularis*. *Parasitology* 134:209-227.
- Ou, C. H., and J. H. Wu. 2006. Spatial spread of rabies revisited: Influence of age-dependent diffusion on nonlinear dynamics. *Siam Journal on Applied Mathematics* 67:138-163.
- Palatnik-De-Sousai, C. B., L. M. Batista-De-Melo, G. P. Borja-Cabrera, M. Palatnik, and C. C. Lavor. 2004. Improving methods for epidemiological control of canine visceral leishmaniasis based on a mathematical model. Impact on the incidence of the canine and human disease. *Anais Da Academia Brasileira De Ciencias* 76:583-593.
- Papoz, L., F. Simondon, W. Saurin, and H. Sarmini. 1986. A simple model relevant to toxoplasmosis applied to epidemiologic results in France. *American Journal of Epidemiology* 123:154-161.
- Patel, R., I. M. Longini, and M. E. Halloran. 2005. Finding optimal vaccination strategies for pandemic influenza using genetic algorithms. *Journal of Theoretical Biology* 234:201-212.
- Paz-Bailey, G., C. Monroy, A. Rodas, R. Rosales, R. Tabaru, C. Davies, and J. Lines. 2002. Incidence of *Trypanosoma cruzi* infection in two Guatemalan communities. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 96:48-52.
- Peixoto, I. D., and G. Abramson. 2006. The effect of biodiversity on the hantavirus epizootic. *Ecology* 87:873-879.
- Perez, A. M., M. P. Ward, A. Charmandarian, and V. Ritacco. 2002a. Simulation model of within-herd transmission of bovine tuberculosis in Argentine dairy herds. *Preventive Veterinary Medicine* 54:361-372.
- Perez, A. M., M. P. Ward, and V. Ritacco. 2002b. Simulation-model evaluation of bovine tuberculosis-eradication strategies in Argentine dairy herds. *Preventive Veterinary Medicine* 54:351-360.
- Peterson, M. J., W. E. Grant, and D. S. Davis. 1991a. Bison-brucellosis management - simulation of alternative strategies. *Journal of Wildlife Management* 55:205-213.
- . 1991b. Simulation of host-parasite interactions within a resource-management framework: impact of brucellosis on bison population dynamics. *Ecological Modelling* 54:299-320.
- Pitzer, V. E., G. M. Leung, and M. Lipsitch. 2007. Estimating variability in the transmission of severe acute respiratory syndrome to household contacts in Hong Kong, China. *American Journal of Epidemiology* 166:355-363.
- Porcasi, X., G. Calderon, M. Lamfri, N. Gardenal, J. Polop, M. Sabattini, and C. M. Scavuzzo. 2005. The use of satellite data in modeling population dynamics and prevalence of infection in the rodent reservoir of Junin virus. *Ecological Modelling* 185:437-449.
- Porco, T. C. 1999. A mathematical model of the ecology of Lyme disease. *IMA Journal of Mathematics Applied in Medicine and Biology* 16:261-296.
- Preston, E. M. 1973. Computer-simulated dynamics of a rabies-controlled fox population. *Journal of Wildlife Management* 37:501-512.

- Prevost, K., P. Magal, and C. Beaumont. 2006. A model of *Salmonella* infection within industrial houses. *Journal of Theoretical Biology* 242:755-763.
- Quinnell, R. J., O. Courtenay, L. Garcez, and C. Dye. 1997. The epidemiology of canine leishmaniasis: transmission rates estimated from a cohort study in Amazonian Brazil. *Parasitology* 115:143-156.
- Rabinovich, J. E., and M. D. Feliciangeli. 2004. Parameters of *Leishmania braziliensis* transmission by indoor *Lutzomyia ovallesi* in Venezuela. *American Journal of Tropical Medicine and Hygiene* 70:373-382.
- Rabinovich, J. E., and P. Himschoot. 1990. A population dynamics simulation model of the main vectors of Chagas disease transmission, *Rhodnius prolixus* and *Triatoma infestans*. *Ecological Modelling* 52:249-266.
- Ranta, J., and R. Maijala. 2002. A probabilistic transmission model of *Salmonella* in the primary broiler production chain. *Risk Anal* 22:47-58.
- Rao, A. 2008. Modeling the rapid spread of avian influenza (H5N1) in India. *Mathematical Biosciences and Engineering* 5:523-537.
- Reithinger, R., P. G. Coleman, B. Alexander, E. P. Vieira, G. Assis, and C. R. Davies. 2004. Are insecticide-impregnated dog collars a feasible alternative to dog culling as a strategy for controlling canine visceral leishmaniasis in Brazil? *International Journal for Parasitology* 34:55-62.
- Reithinger, R., J. C. Espinoza, and C. R. Davies. 2003. The transmission dynamics of canine American cutaneous leishmaniasis in Huanuco, Peru. *American Journal of Tropical Medicine and Hygiene* 69:473-480.
- Rhodes, C. J., R. P. D. Atkinson, R. M. Anderson, and D. W. Macdonald. 1998. Rabies in Zimbabwe: reservoir dogs and the implications for disease control. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 353:999-1010.
- Riley, S., C. Fraser, C. A. Donnelly, A. C. Ghani, L. J. Abu-Raddad, A. J. Hedley, G. M. Leung et al. 2003. Transmission dynamics of the etiological agent of SARS in Hong Kong: Impact of public health interventions. *Science* 300:1961-1966.
- Riley, S., J. T. Wu, and G. M. Leung. 2007. Optimizing the dose of pre-pandemic influenza vaccines to reduce the infection attack rate. *PLoS Medicine* 4:1032-1040.
- Rizkalla, C., F. Blanco-Silva, and S. Gruver. 2007. Modeling the impact of Ebola and bushmeat hunting on western lowland gorillas. *Ecohealth* 4:151-155.
- Roberts, M. G. 1992. The dynamics and control of bovine tuberculosis in possums. *IMA Journal of Mathematics Applied in Medicine and Biology* 9:19-28.
- . 1996. The dynamics of bovine tuberculosis in possum populations, and its eradication or control by culling or vaccination. *Journal of Animal Ecology* 65:451-464.
- Roberts, M. G., M. Baker, L. C. Jennings, G. Sertsou, and N. Wilson. 2007. A model for the spread and control of pandemic influenza in an isolated geographical region. *Journal of the Royal Society Interface* 4:325-330.
- Rogers, D. J. 1988. A general model for the African trypanosomiases. *Parasitology* 97:193-212.
- Rosa, R., and A. Pugliese. 2007. Effects of tick population dynamics and host densities on the persistence of tick-borne infections. *Mathematical Biosciences* 208:216-240.
- Rosa, R., A. Pugliese, R. Norman, and P. J. Hudson. 2003. Thresholds for disease persistence in models for tick-borne infections including non-viraemic transmission, extended feeding and tick aggregation. *Journal of Theoretical Biology* 224:359-376.
- Rosenquist, H., N. L. Nielsen, H. M. Sommer, B. Norrung, and B. B. Christensen. 2003. Quantitative risk assessment of human campylobacteriosis associated with thermophilic *Campylobacter* species in chickens. *International Journal of Food Microbiology* 83:87-103.
- Ruan, S. G., W. D. Wang, and S. A. Levin. 2006. The effect of global travel on the spread of SARS. *Mathematical Biosciences and Engineering* 3:205-218.
- Russell, C. A., D. L. Smith, J. E. Childs, and L. A. Real. 2005. Predictive spatial dynamics and strategic planning for raccoon rabies emergence in Ohio. *PLoS Biology* 3:382-388.

- Ruxton, G. D. 1996. The effects of stochasticity and seasonality on model dynamics: Bovine tuberculosis in badgers. *Journal of Animal Ecology* 65:495-500.
- Rvachev, L. A., and I. M. Longini. 1985. A mathematical model for the global spread of influenza. *Mathematical Biosciences* 75:3-22.
- Sattenspiel, L., and D. A. Herring. 2003. Simulating the effect of quarantine on the spread of the 1918-19 flu in central Canada. *Bulletin of Mathematical Biology* 65:1-26.
- Sauvage, F., M. Langlais, and D. Pontier. 2007. Predicting the emergence of human hantavirus disease using a combination of viral dynamics and rodent demographic patterns. *Epidemiology and Infection* 135:46-56.
- Sauvage, F., M. Langlais, N. G. Yoccoz, and D. Pontier. 2003. Modelling hantavirus in fluctuating populations of bank voles: the role of indirect transmission on virus persistence. *Journal of Animal Ecology* 72:1-13.
- Schauber, E. M., and R. S. Ostfeld. 2002. Modeling the effects of reservoir competence decay and demographic turnover in Lyme disease ecology. *Ecological Applications* 12:1142–1162.
- Sertsou, G., N. Wilson, M. Baker, P. Nelson, and M. G. Roberts. 2006. Key transmission parameters of an institutional outbreak during the 1918 influenza pandemic estimated by mathematical modelling. *Theoretical Biology and Medical Modelling* 3:38.
- Seto, E. Y. W., J. A. Soller, and J. M. Colford. 2007. Strategies to reduce person-to-person transmission during widespread Escherichia coli O157 : H7 outbreak. *Emerging Infectious Diseases* 13:860-866.
- Sharkey, K. J., R. G. Bowers, K. L. Morgan, S. E. Robinson, and R. M. Christley. 2008. Epidemiological consequences of an incursion of highly pathogenic H5N1 avian influenza into the British poultry flock. *Proceedings of the Royal Society B-Biological Sciences* 275:19-28.
- Shi, Y. L. 2003. Stochastic dynamic model of SARS spreading. *Chinese Science Bulletin* 48:1287-1292.
- Shirley, M. D. F., S. P. Rushton, G. C. Smith, A. B. South, and P. W. W. Lurz. 2003. Investigating the spatial dynamics of bovine tuberculosis in badger populations: evaluating an individual-based simulation model. *Ecological Modelling* 167:139-157.
- Small, M., P. L. Shi, and C. K. Tse. 2004. Plausible models for propagation of the SARS virus. *IEICE Transactions on Fundamentals of Electronics Communications and Computer Sciences* E87A:2379-2386.
- Small, M., and C. K. Tse. 2005a. Clustering model for transmission of the SARS virus: application to epidemic control and risk assessment. *Physica a-Statistical Mechanics and Its Applications* 351:499-511.
- . 2005b. Small world and scale free model of transmission of SARS. *International Journal of Bifurcation and Chaos* 15:1745-1755.
- Small, M., C. K. Tse, and D. M. Walker. 2006. Super-spreaders and the rate of transmission of the SARS virus. *Physica D-Nonlinear Phenomena* 215:146-158.
- Small, M., D. M. Walker, and C. K. Tse. 2007. Scale-free distribution of avian influenza outbreaks. *Physical Review Letters* 99.
- Smith, D. L., B. Lucey, L. A. Waller, J. E. Childs, and L. A. Real. 2002. Predicting the spatial dynamics of rabies epidemics on heterogeneous landscapes. *Proceedings of the National Academy of Sciences of the United States of America* 99:3668-3672.
- Smith, D. L., L. A. Waller, C. A. Russell, J. E. Childs, and L. A. Real. 2005. Assessing the role of long-distance translocation and spatial heterogeneity in the raccoon rabies epidemic in Connecticut. *Preventive Veterinary Medicine* 71:225-240.
- Smith, G. C., R. Bennett, D. Wilkinson, and R. Cooke. 2007. A cost-benefit analysis of culling badgers to control bovine tuberculosis. *Veterinary Journal* 173:302-310.
- Smith, G. C., C. L. Cheeseman, and R. S. Clifton-Hadley. 1997. Modelling the control of bovine tuberculosis in badgers in England: culling and the release of lactating females. *Journal of Applied Ecology* 34:1375-1386.

- Smith, G. C., C. L. Cheeseman, R. S. Clifton-Hadley, and D. Wilkinson. 2001a. A model of bovine tuberculosis in the badger *Meles meles*: an evaluation of control strategies. *Journal of Applied Ecology* 38:509-519.
- Smith, G. C., C. L. Cheeseman, D. Wilkinson, and R. S. Clifton-Hadley. 2001b. A model of bovine tuberculosis in the badger *Meles meles*: the inclusion of cattle and the use of a live test. *Journal of Applied Ecology* 38:520-535.
- Smith, G. C., and S. Harris. 1991. Rabies in urban foxes (*Vulpes-vulpes*) in Britain: the use of a spatial stochastic simulation model to examine the pattern of spread and evaluate the efficacy of different control regimes. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 334:459-479.
- Smith, G. C., M. S. Richards, R. S. Clifton-Hadley, and C. L. Cheeseman. 1995. Modelling bovine tuberculosis in badgers in England: Preliminary results. *Mammalia* 59:639-650.
- Smith, G. C., and D. Wilkinson. 2002. Modelling disease spread in a novel host: rabies in the European badger *Meles meles*. *Journal of Applied Ecology* 39:865-874.
- Snall, T., R. B. O'Hara, C. Ray, and S. K. Collinge. 2008. Climate-driven spatial dynamics of plague among prairie dog colonies. *American Naturalist* 171:238-248.
- Stacey, K. F., D. J. Parsons, K. H. Christiansen, and C. H. Burton. 2007. Assessing the effect of interventions on the risk of cattle and sheep carrying *Escherichia coli* O157 : H7 to the abattoir using a stochastic model. *Preventive Veterinary Medicine* 79:32-45.
- Stegeman, A., A. Bouma, A. R. W. Elbers, M. C. M. de Jong, G. Nodelijk, F. de Clerk, G. Koch et al. 2004. Avian influenza A virus (H7N7) epidemic in the Netherlands in 2003: Course of the epidemic and effectiveness of control measures. *Journal of Infectious Diseases* 190:2088-2095.
- Sugiura, K., and N. Murray. 2007. Estimating the prevalence of BSE in dairy birth cohorts and predicting the incidence of BSE cases in Japan. *Preventive Veterinary Medicine* 82:213-235.
- Sugiura, K., N. Murray, T. Tsutsui, and F. Kasuga. 2008. Simulating the BSE epidemic and multiplication factor in dairy herds in Japan. *Preventive Veterinary Medicine* 84:61-71.
- Suppo, C., J. M. Naulin, M. Langlais, and M. Artois. 2000. A modelling approach to vaccination and contraception programmes for rabies control in fox populations. *Proceedings of the Royal Society of London Series B-Biological Sciences* 267:1575-1582.
- Swinton, J., F. Tuyttens, D. Macdonald, D. J. Nokes, C. L. Cheeseman, and R. Clifton-Hadley. 1997. Comparison of fertility control and lethal control of bovine tuberculosis in badgers: The impact of perturbation induced transmission. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 352:619-631.
- Tapaswi, P. K., A. K. Ghosh, and B. B. Mukhopadhyay. 1995. Transmission of Japanese encephalitis in a 3-population model. *Ecological Modelling* 83:295-309.
- Thomas, D. M., and B. Urena. 2001. A model describing the evolution of West Nile-like encephalitis in New York City. *Mathematical and Computer Modelling* 34:771-781.
- Thulke, H. H., T. Selhorst, T. Muller, T. Wyszomirski, U. Muller, and U. Breitenmoser. 2004. Assessing anti-rabies baiting - what happens on the ground? *BMC Infectious Diseases* 4.
- Tiensin, T., M. Nielsen, H. Vernooij, T. Songserm, W. Kalpravidh, S. Chotiprasatintara, A. Chaisingham et al. 2007. Transmission of the highly pathogenic avian influenza virus H5N1 within flocks during the 2004 epidemic in Thailand. *Journal of Infectious Diseases* 196:1679-1684.
- Tischendorf, L., H. H. Thulke, C. Staubach, M. S. Muller, F. Jeltsch, J. Goretzki, T. Selhorst et al. 1998. Chance and risk of controlling rabies in large-scale and long-term immunized fox populations. *Proceedings of the Royal Society of London Series B-Biological Sciences* 265:839-846.
- Truscott, J., T. Garske, I. Chis-Ster, J. Guitian, D. Pfeiffer, L. Snow, J. Wilesmith et al. 2007. Control of a highly pathogenic H5N1 avian influenza outbreak in the GB poultry flock. *Proceedings of the Royal Society B-Biological Sciences* 274:2287-2295.
- Turner, J., R. G. Bowers, M. Begon, S. E. Robinson, and N. P. French. 2006. A semi-stochastic model of the transmission of *Escherichia coli* O157 in a typical UK dairy herd: Dynamics, sensitivity analysis and intervention/prevention strategies. *Journal of Theoretical Biology* 241:806-822.

- Tyul'ko, Z. S., and I. V. Kuzmin. 2002. Simulation of rabies epizootic process in fox populations at a limited carrying capacity of biotopes. *Russian Journal of Ecology* 33:331-337.
- Unnasch, R. S., T. Sprenger, C. R. Katholi, E. W. Cupp, G. E. Hill, and T. R. Unnasch. 2006. A dynamic transmission model of eastern equine encephalitis virus. *Ecol Modell* 192:425-440.
- Upadhyay, R. K., N. Kumari, and V. S. H. Rao. 2008. Modeling the spread of bird flu and predicting outbreak diversity. *Nonlinear Analysis-Real World Applications* 9:1638-1648.
- van Asseldonk, M., H. J. W. van Roermund, E. A. J. Fischer, M. C. M. de Jong, and R. B. M. Huirne. 2005. Stochastic efficiency analysis of bovine tuberculosis-surveillance programs in the Netherlands. *Preventive Veterinary Medicine* 69:39-52.
- van Boven, M., M. Koopmans, M. Holle, A. Meijer, D. Klinkenberg, C. A. Donnelly, and H. Heesterbeek. 2007. Detecting emerging transmissibility of avian influenza virus in human households. *PLoS Computational Biology* 3:1394-1402.
- van der Gaag, M. A., H. W. Saatkamp, G. B. C. Backus, P. van Beek, and R. B. M. Huirne. 2004a. Cost-effectiveness of controlling *Salmonella* in the pork chain. *Food Control* 15:173-180.
- van der Gaag, M. A., F. Vos, H. W. Saatkamp, M. van Boven, P. van Beek, and R. B. M. Huirne. 2004b. A state-transition simulation model for the spread of *Salmonella* in the pork supply chain. *European Journal of Operational Research* 156:782-798.
- van der Goot, J. A., M. C. M. De Jong, G. Koch, and M. Van Boven. 2003a. Comparison of the transmission characteristics of low and high pathogenicity avian influenza A virus (H5N2). *Epidemiology and Infection* 131:1003-1013.
- van der Goot, J. A., G. Koch, M. C. M. de Jong, and M. van Boven. 2003b. Transmission dynamics of low- and high-pathogenicity A/Chicken/Pennsylvania/83 avian influenza viruses. *Avian Diseases* 47:939-941.
- . 2005. Quantification of the effect of vaccination on transmission of avian influenza (H7N7) in chickens. *Proceedings of the National Academy of Sciences of the United States of America* 102:18141-18146.
- van der Goot, J. A., M. van Boven, M. C. M. de Jong, and G. Koch. 2007. Effect of vaccination on transmission of HPAI H5N1: The effect of a single vaccination dose on transmission of highly pathogenic avian influenza H5N1 in Peking ducks. *Avian Diseases* 51:323-324.
- van der Kamp, A., A. A. Dijkhuizen, and D. J. Peterse. 1990. A simulation of leptospirosis control in Dutch dairy herds. *Preventive Veterinary Medicine* 9:9-26.
- Van Gerwe, T. J., A. Bouma, W. F. Jacobs-Reitsma, J. van den Broek, D. Klinkenberg, J. A. Stegeman, and J. A. Heesterbeek. 2005. Quantifying transmission of *Campylobacter* spp. among broilers. *Appl Environ Microbiol* 71:5765-5770.
- Van Schaik, G., D. Klinkenberg, J. Veling, and A. Stegeman. 2007. Transmission of *Salmonella* in dairy herds quantified in the endemic situation. *Veterinary Research* 38:861-869.
- Velasco-Hernandez, J. X. 1991. An epidemiologic model for the dynamics of Chagas disease. *Biosystems* 26:127-134.
- . 1994. A model for Chagas disease involving transmission by vectors and blood transfusion. *Theoretical Population Biology* 46:1-31.
- Vial, F., S. Cleaveland, G. Rasmussen, and D. T. Haydon. 2006. Development of vaccination strategies for the management of rabies in African wild dogs. *Biological Conservation* 131:180-192.
- Vynnycky, E., A. Trindall, and P. Mangtani. 2007. Estimates of the reproduction numbers of Spanish influenza using morbidity data. *International Journal of Epidemiology* 36:881-889.
- Wahlstrom, H., L. Englund, T. Carpenter, U. Emanuelson, A. Engvall, and I. Vagsholm. 1998. A Reed-Frost model of the spread of tuberculosis within seven Swedish extensive farmed fallow deer herds. *Preventive Veterinary Medicine* 35:181-193.
- Wallinga, J., and P. Teunis. 2004. Different epidemic curves for severe acute respiratory syndrome reveal similar impacts of control measures. *American Journal of Epidemiology* 160:509-516.
- Wang, H. Y., F. Rong, F. J. Ke, and Y. L. Bai. 2003. Control dynamics of severe acute respiratory syndrome transmission. *Chinese Science Bulletin* 48:2684-2687.

- Wang, J. F., A. J. McMichael, B. Meng, N. G. Becker, W. G. Han, K. Glass, J. L. Wu et al. 2006. Spatial dynamics of an epidemic of severe acute respiratory syndrome in an urban area. *Bulletin of the World Health Organization* 84:965-968.
- Wang, W. D., and S. G. Ruan. 2004. Simulating the SARS outbreak in Beijing with limited data. *Journal of Theoretical Biology* 227:369-379.
- Watier, L., S. Richardson, and B. Hubert. 1993. *Salmonella enteritidis* infections in France and the United States: characterization by a deterministic model. *American Journal of Public Health* 83:1694-1700.
- Webb, C. T., C. P. Brooks, K. L. Gage, and M. F. Antolin. 2006. Classic flea-borne transmission does not drive plague epizootics in prairie dogs. *Proceedings of the National Academy of Sciences of the United States of America* 103:6236-6241.
- Webb, G. F., M. J. Blaser, H. P. Zhu, S. Ardal, and J. H. Wu. 2004. Critical role of nosocomial transmission in the Toronto SARS outbreak. *Mathematical Biosciences and Engineering* 1:1-13.
- Welton, N. J., and A. E. Ades. 2005. A model of toxoplasmosis incidence in the UK: evidence synthesis and consistency of evidence. *Journal of the Royal Statistical Society Series C-Applied Statistics* 54:385-404.
- White, L. F., and M. Pagano. 2008. Transmissibility of the influenza virus in the 1918 pandemic. *PLoS ONE* 3:e1498.
- White, P. C. L., and S. Harris. 1995a. Bovine tuberculosis in badger (*Meles meles*) populations in southwest England: an assessment of past, present and possible future control strategies using simulation modeling. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 349:415-432.
- . 1995b. Bovine tuberculosis in badger (*Meles meles*) populations in southwest England: the use of a spatial stochastic simulation model to understand the dynamics of the disease. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 349:391-413.
- White, P. C. L., S. Harris, and G. C. Smith. 1995. Fox contact behaviour and rabies spread: A model for the estimation of contact probabilities between urban foxes at different population densities and its implications for rabies control in Britain. *Journal of Applied Ecology* 32:693-706.
- White, P. C. L., A. J. G. Lewis, and S. Harris. 1997. Fertility control as a means of controlling bovine tuberculosis in badger (*Meles meles*) populations in south-west England: predictions from a spatial stochastic simulation model. *Proceedings of the Royal Society of London Series B-Biological Sciences* 264:1737-1747.
- Wilkinson, D., G. C. Smith, R. J. Delahay, and C. L. Cheeseman. 2004. A model of bovine tuberculosis in the badger *Meles meles*: an evaluation of different vaccination strategies. *Journal of Applied Ecology* 41:492-501.
- Wolf, C. 2004. A mathematical model for the propagation of a hantavirus in structured populations. *Discrete and Continuous Dynamical Systems-Series B* 4:1065-1089.
- Wonham, M. J., T. de-Camino-Beck, and M. A. Lewis. 2004. An epidemiological model for West Nile virus: invasion analysis and control applications. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271:501-507.
- Wood, J. C., I. J. McKendrick, and G. Gettinby. 2006a. Assessing the efficacy of within-animal control strategies against *E. coli* O157: A simulation study. *Preventive Veterinary Medicine* 74:194-211.
- . 2006b. A simulation model for the study of the within-animal infection dynamics of *E. coli* O157. *Preventive Veterinary Medicine* 74:180-193.
- . 2007a. A simulation model to assess herd-level intervention strategies against *E. coli* O157. *Epidemiology and Infection* 135:749-764.
- Wood, J. G., N. Zamani, C. R. MacIntyre, and N. G. Becker. 2007b. Effects of internal border control on spread of pandemic influenza. *Emerging Infectious Diseases* 13:1038-1045.
- Wu, J. T., S. Riley, C. Fraser, and G. M. Leung. 2006. Reducing the impact of the next influenza pandemic using household-based public health interventions. *PLoS Medicine* 3:1532-1540.

- Xiao, Y., R. G. Bowers, D. Clancy, and N. P. French. 2005. Understanding the dynamics of *Salmonella* infections in dairy herds: a modelling approach. *Journal of Theoretical Biology* 233:159-175.
- Xiao, Y., D. Clancy, N. P. French, and R. G. Bowers. 2006. A semi-stochastic model for *Salmonella* infection in a multi-group herd. *Mathematical Biosciences* 200:214-233.
- Xiao, Y., N. P. French, R. G. Bowers, and D. Clancy. 2007. Pair approximations and the inclusion of indirect transmission: theory and application to between farm transmission of *Salmonella*. *Journal of Theoretical Biology* 244:532-540.
- Yamamoto, T., T. Tsutsui, A. Nishiguchi, and S. Kobayashi. 2008. Simulation-based estimation of BSE infection in Japan. *Preventive Veterinary Medicine* 84:135-151.
- Yan, X., and Y. Zou. 2008. Optimal and sub-optimal quarantine and isolation control in SARS epidemics. *Mathematical and Computer Modelling* 47:235-245.
- Yang, Y., M. E. Halloran, J. D. Sugimoto, and I. M. Longini, Jr. 2007. Detecting human-to-human transmission of avian influenza A (H5N1). *Emerg Infect Dis* 13:1348-1353.
- Yu, I. T. S., Y. G. Li, T. W. Wong, W. Tam, A. T. Chan, J. H. W. Lee, D. Y. C. Leung et al. 2004. Evidence of airborne transmission of the severe acute respiratory syndrome virus. *New England Journal of Medicine* 350:1731-1739.
- Zeng, Q., K. Khan, J. Wu, and H. Zhu. 2007. The utility of preemptive mass influenza vaccination in controlling a SARS outbreak during flu season. *Mathematical Biosciences and Engineering* 4:739-754.
- Zhang, J., H. Lou, Z. Ma, and J. H. Wu. 2005. A compartmental model for the analysis of SARS transmission patterns and outbreak control measures in China. *Applied Mathematics and Computation* 162:909-924.
- Zhang, S. D., and H. Hao. 2005. Analysis on stability of an autonomous dynamics system for SARS epidemic. *Applied Mathematics and Mechanics-English Edition* 26:914-920.
- Zhang, Z. B. 2007. The outbreak pattern of SARS cases in China as revealed by a mathematical model. *Ecological Modelling* 204:420-426.
- Zhang, Z. B., C. F. Sheng, Z. F. Ma, and D. M. Li. 2004. The outbreak pattern of the SARS cases in Asia. *Chinese Science Bulletin* 49:1819-1823.
- Zhou, G. F., and G. Y. Yan. 2003. Severe acute respiratory syndrome epidemic in Asia. *Emerging Infectious Diseases* 9:1608-1610.
- . 2004. SARS epidemiology modeling - In reply. *Emerging Infectious Diseases* 10:1167-1168.
- Zhou, Y. C., Z. Ma, and F. Brauer. 2004. A discrete epidemic model for SARS transmission and control in China. *Mathematical and Computer Modelling* 40:1491-1506.
- Zinsstag, J., F. Roth, D. Orkhon, G. Chimed-Ochir, M. Nansalmaa, J. Kolar, and P. Vounatsou. 2005. A model of animal-human brucellosis transmission in Mongolia. *Preventive Veterinary Medicine* 69:77-95.